

ContentCreator User Manual

Version 7.3.1



Formcentric for FirstSpirit: ContentCreator User Manual

Copyright © 2026 Formcentric GmbH
Schaartor 1, 20459 Hamburg
Germany

The contents of this document – whether in whole or in part – may not be reproduced, conveyed, disseminated or stored in any form whatsoever without obtaining prior written permission from Formcentric GmbH.

Disclaimer

We reserve the right to alter the software and the contents of the manual without notice. We accept no liability for the accuracy of the contents of the manual, nor for any losses that may result from the use of this software.

Trademarks

In the course of this manual, references may be made to trademarks that are not explicitly marked as such. Even if such a mark is not given, the reader should not conclude that the name is free of third-party rights.

Access to documentation

You can always find the latest version of the user manual in the Help centre help.formcentric.com. Older versions and additional information are available in the Formcentric Support support.formcentric.com.

1. Introduction	1
1.1. Note on feature differences	1
1.2. Overview of functions	1
1.3. Terminology	2
2. Editing interface	3
2.1. General	3
2.1.1. Checking the forms created	3
2.1.2. Predefined form elements	4
2.1.3. Drag-and-drop	4
2.1.4. Preview	5
3. Form screen	6
3.1. Form tree	7
3.2. Page properties	7
3.2.1. General	8
3.2.2. Conditions	12
3.3. Form elements	13
3.3.1. Input field	14
3.3.2. Single choice	27
3.3.3. Multiple choice	31
3.3.4. Drop-down list	34
3.3.5. Short text	39
3.3.6. Long text	42
3.3.7. Email address	45
3.3.8. Number	48
3.3.9. Phone number	51
3.3.10. Date	55
3.3.11. Password	58
3.3.12. Upload file	61
3.3.13. Hidden field	64
3.3.14. Calculated value	66
3.3.15. Captcha	68
3.3.16. Condition	70
3.3.17. Paragraph	73
3.3.18. Button	75
3.3.19. Layout	76
3.3.20. Summary	77
3.3.21. Fieldset	79
3.3.22. Image	80
3.4. Data sources	81
3.4.1. Country names	81
3.4.2. Weekdays	82
3.4.3. Months	83
3.4.4. Year numbers	83
3.5. Variables	83
3.6. Markdown	84

4. Actions screen	87
4.1. Send as email	88
4.1.1. General	89
4.1.2. Recipient and sender	89
4.1.3. Content and format	89
4.1.4. Condition	90
4.2. Formcentric Analytics	90
4.3. Forward to	91
4.4. Media Management	92
4.5. Data source	94
4.6. PDF	96
4.7. Webhook	98
5. Settings screen	100
5.1. General	100
5.2. Button label	101
5.3. Usage	101
5.4. Double opt-in	101
A. Reserved identifiers	104

1. Introduction

“Formcentric for FirstSpirit™” extends the FirstSpirit Digital Experience Platform to include a powerful form editor with which you can create and edit any type of web-based form. The web app components also included with the product are used to ensure the dynamic display and processing of the forms that you create.

1.1. Note on feature differences

“Formcentric for FirstSpirit™” is available both for on#premise deployment and in the FirstSpirit Cloud. Please note that the available features differ depending on the deployment.

This User Manual describes the full functionality of the on#premise deployment. Formcentric in the FirstSpirit Cloud has its own feature set, where the actions **PDF**, **Data Source**, and **Media Management** are currently unavailable.

Formcentric Analytics is optionally available in the FirstSpirit Cloud and can be added if required. Processing is handled via the Formcentric infrastructure.

1.2. Overview of functions

Form elements: Formcentric supports all of the form elements defined in the HTML standard, such as input fields, drop-down lists or buttons. Other form elements are also provided, such as a *Captcha*, *Calculated Value* or *Summary*.

Multi-page forms: Detailed or complex forms can be split up over multiple form pages. Form users can then page back and forth between the individual form pages in order to change or add the data they have entered.

Conditions: With the help of conditions, you can design your forms so that the state of individual form elements can be modified dynamically based on the input entered by the user and even entire form pages can be shown or hidden.

Field validators: A range of validators are available to you for validating user input. You specify the validator to use for a form field (if any) directly in the editing area for the corresponding form field. Most validators will also give you the option of configuring additional settings to adjust the validator more precisely to your individual requirements. As a rule, all validation of input takes place on the server, to avoid form data manipulation.

Default field values: You can give input fields default values, which can be fixed, variable or user-specific.

Freely-definable actions: By selecting a processing mode (action) from the Actions screen, you can decide how the form data is automatically processed after submission. Out of the box, the software includes the actions *Send as email*, *Formcentric Analytics*, *Forward to*, *Media Management*, *Data source*, *PDF* and *Webhook* (see

Chapter 4, *Actions screen*). Other actions, customised to suit special requirements, can be developed with the help of an easy-to-use programming interface (API).



Please note that not all actions are available in the FirstSpirit Cloud (see Section 1.1, “Note on feature differences”).

Security: Formcentric contains a security servlet filter as a safeguard against cross-site scripting (XSS) attacks and cross-site request forgery (XSRF) attacks. This filter removes illegal HTML tags, CSS and scripts from the form data submitted. The filter also checks to confirm that the form data contains a valid XSRF token.

1.3. Terminology

This manual makes use of the following terms:

Term	Description
Form	An HTML web form displayed in a web browser.
Form elements	All of the elements used when constructing a form (input fields, drop-down lists, check boxes, captchas, etc.).
Form data	The data entered into the form by the user.
Form author	The person that creates and edit forms.
User	The person that fills out a form.
Editor	The form editor in FirstSpirit ContentCreator.
Frontend	The web page created with the FirstSpirit Digital Experience Platform.

2. Editing interface

In the Formcentric Editor, the editing interface is split over three screens:

- Form [1]
- Actions [2]
- Settings [3]

You create and manage your forms on the *Form* screen. You specify how the data entered by users should be processed on the *Actions* screen. You define properties that apply to the whole form you are creating on the *Settings* screen. Click the name of the screen to switch to working on that screen.

The screenshot displays the Formcentric Editor interface. At the top, there's a header with the Formcentric logo and three tabs: 'Form' (highlighted with a red circle 1), 'Actions' (highlighted with a red circle 2), and 'Settings' (highlighted with a red circle 3). Below the header, the interface is split into three main sections. The left section, 'Structure', contains a search bar and a list of pages, with '1. page' selected. The middle section, 'Edit Page', contains a form with fields for 'Label' (Page 1), 'Technical name' (page), 'Show Next button' (checked), 'Text on Next button' (Next), and 'Validation' (unchecked). The right section, 'General', contains a form with fields for 'Label' (Page 1), 'Technical name' (page), 'Show Next button' (checked), 'Text on Next button' (Next), and 'Validation' (unchecked). At the bottom, there are buttons for 'Add page', 'Duplicate Page', and 'Delete Page'. The bottom bar has a 'Save' button and a 'Cancel' button.

Figure 2.1. Editing interface

2.1. General

2.1.1. Checking the forms created

The Editor checks the forms you create while their details are being entered. If any form elements are incomplete or have errors, these are marked with a red dot in the form tree.

At the top right of the Editor screen, a bell icon also shows you the current state of your form. If the form has errors, the bell is coloured red and the number of errors is displayed.

Clicking the bell opens a dialog that lists all of these errors.

The screenshot shows the Formcentric editor interface. At the top, there's a header with 'Edit contents', a language selector set to 'English', and a bell icon with a red '4' indicating errors. Below the header is a navigation bar with 'Form', 'Actions', and 'Settings'. The main area is split into two panels. The left panel, titled 'Structure', shows a tree view of the form elements: '1. Send us an email' (expanded), 'I would like to receive information by:' (selected), 'Communication channel', 'Salutation', 'First name', 'Last name', 'Email', 'Street', 'Zipcode', and 'Country'. The right panel, titled 'Edit Single choice', shows the configuration for the selected element. It has tabs for 'General' and 'Note'. In the 'General' tab, there's a 'Label' field with the text 'I would like to receive information by:', a 'Technical name' field with the value 'singleChoice_1', a 'Field width' dropdown, and checkboxes for 'Required field', 'Submit', and 'Data source'. A red error message is displayed at the bottom of the screen: 'An input error prevents saving this object. Please correct your input in the highlighted area above.' The error points to the 'Technical name' field. At the bottom, there are 'Save' and 'Cancel' buttons.

Figure 2.2. An error marked on the screen

2.1.2. Predefined form elements

Predefined form elements – such as phone number, email address, file upload, etc. – give you a way to create your forms more quickly. You can add these form elements to your form with just a single click. The validation required for each of these form elements is already activated and you can start adding your details immediately.


2.1.3. Drag-and-drop

To make it easier for you to create your forms, you can use drag-and-drop to move individual form elements and even entire form pages around in the form tree. You can

also move form elements from one form page to another. You can change the order of form elements and form pages simply by dragging these elements and pages to a different position in the form tree.

2.1.4. Preview

The ContentCreator preview area shows you the current version of your form, which you can try out whenever you want to.



The screenshot displays the ContentCreator software interface. At the top, a dark navigation bar contains the 'CONTENT CREATOR' logo, navigation icons, and tabs for 'PAGE' and 'ACTIONS'. Below this is a secondary navigation bar with links like 'Deutsch', 'Sitemap', 'Contact', 'Imprint', and 'RSS Feeds'. The main header features a 'Mithras Energy' logo with the tagline 'Inspiration through Innovation' and a navigation menu with items: 'Home', 'About us', 'Products', 'Services', 'Press', 'FirstSpirit', and 'Forms'. The central preview area shows a form titled 'Send us an e-mail'. The form includes a text input field for 'Enter your question*', a radio button selection for 'I would like to receive information by:' (with 'E-Mail' selected and 'Mail' as an option), a radio button selection for 'Salutation*' (with 'Mr.' and 'Mrs.' as options), and separate input fields for 'Last Name' and 'First Name'. At the bottom of the form is an 'E-Mail-Address*' input field. A 'Create section' button is visible to the right of the form preview. The right side of the interface features a vertical toolbar with various icons for editing and navigation.

Figure 2.3. ContentCreator preview

3. Form screen

You use the *Form* screen to edit the form with all of its form elements (input fields, drop-down lists, etc.).

The screenshot shows the Formcentric Form editor interface. At the top, there's a header with the 'FORMCENTRIC' logo and tabs for 'Form', 'Actions', and 'Settings'. A bell icon with '0' and a three-dot menu are on the right. The main area is split into two panels: 'Structure' on the left and 'Edit Page' on the right. The 'Structure' panel contains a search bar, a tree view with two main sections ('1. Seminar registration' and '2. Contact information'), and an 'Add page' button at the bottom. The 'Edit Page' panel shows configuration options for the selected element, including 'Label', 'Technical name', 'Show Next button', 'Text on Next button', and 'Validation'. At the bottom of the 'Edit Page' panel are 'Duplicate Page' and 'Delete Page' buttons. A footer bar contains a 'Save' button and a 'Cancel' button. Eight orange circles with numbers 1 through 8 are overlaid on the interface to highlight specific features: 1 points to the selected element in the tree, 2 to the search bar, 3 to the green plus sign, 4 to the bell icon, 5 to the three-dot menu, 6 to the 'Delete Page' button, 7 to the 'Duplicate Page' button, and 8 to the 'Add page' button.

Figure 3.1. Form editor

Click the green plus sign [3] in the *structure* area to display a list of all of the form elements available to you. Click a form element to add it to your form. This new element is inserted underneath the form element currently selected in the form tree [1]. You can use the search function [2] to search for form elements in the form tree. Click *Add page* [8] at the bottom of the screen to add another page to your form. This is also added to the form tree.

The bell icon [4] on the top right shows you how many form elements in your form (if any) are incomplete or have errors. If conflicts are present, the bell is coloured red. Clicking the bell opens a dialog that lists all of these errors. You can click one of these errors to jump directly to the affected form element.

Through the three-dot menu (5), you can choose whether the form tree displays the labels or the technical names of the form elements. You can also use this menu to copy a form or, if one has already been copied, to paste it.



When you paste a form, the existing form is completely replaced, including all actions and settings. This action cannot be undone.

You edit the properties for pages and form elements on the right-hand side. If you click *Duplicate* [7] or *Delete* [6] below this editing area, then you will duplicate or delete the form element that you currently have open.

3.1. Form tree

The form tree that is displayed on the left-hand side of the *form* screen shows the form structure. Each form element and each page is represented here. This lets you keep an eye on your form structure as you are editing. You can change the order of form elements or form pages whenever you want to. To do so, simply drag and drop the element or page to a different position in the form tree.

Additional actions are available for all elements shown in the form tree. To show available actions, move the mouse over a form element or a page and click the context menu link to open the context menu. You can also open the context menu by right-clicking the element or page.

The following actions are available for *form elements*:

Copy: Copies the form element and places it on the clipboard

Paste: Pastes a form element from the clipboard

Cut: Cuts the form element and places it on the clipboard

Duplicate: Creates a copy of the form element and adds it to the form directly underneath this element

Delete: Deletes the form element

Move to: Moves the form element to a different page

The following actions are available for *form pages*:

Copy: Copies the form page and places it on the clipboard

Paste: Pastes a form page from the clipboard

Cut: Cuts the form page and places it on the clipboard

Insert page after: Adds a new form page after this one

Duplicate: Creates a copy of the form page and adds it to the form directly underneath this page

Delete page content: Deletes all the form elements on this form page

Delete: Deletes the form page

3.2. Page properties

Click the page name in the form tree to display the properties for this form page.

The screenshot displays the 'Edit contents' window in Formcentric. The top navigation bar includes the Formcentric logo, 'Form', 'Actions', and 'Settings' tabs, along with a language dropdown set to 'English'. The main area is split into two panes. The left pane, titled 'Structure', shows a tree view of the form pages: '1. Page' and '2. Page'. The right pane, titled 'Edit Page', shows the configuration for the selected page. Under the 'General' section, the 'Label' field is empty, the 'Technical name' field is empty, and the 'New from label' button is visible. The 'Show Next button' and 'Show Back button' are both turned on, with their respective text fields containing 'Next' and 'Back'. The 'Validation' and 'Conditions' options are turned off. At the bottom of the interface, there are buttons for 'Add page', 'Duplicate Page', 'Delete Page', 'Save', and 'Cancel'.

Figure 3.2. Page properties

With multi-page forms, the user is shown “Next” and “Back” buttons. The user can use these buttons to navigate between the individual form pages.

Forms can consist of as many pages as necessary and even empty form pages are possible.

If a form page should only be displayed if the user has made specific kinds of input on the previous pages of the form, you can define a condition to provide this functionality (see Section 3.2.2, “Conditions”).

The page properties area is split over the following three sections: *General*, *Validation* and *Conditions*.

3.2.1. General

You define general page settings in the *General* section.

Label: Enter the text of the label to be displayed on the form page. The text can be formatted with the help of Markdown (see Section 3.6, “Markdown”).

Technical name: Enter a technical name for the form page. This is necessary to ensure that the form page can be uniquely identified internally. You can only use a technical name once within your form. Start the name with a letter and do not use any

special characters. The technical name must not be the same as any of the identifiers listed under Appendix A, *Reserved identifiers*.

New from label: Alternatively, you can generate a technical name from the label. To do this, click *Generate from label*.


Show next button: Deactivate this switch to hide the *Next* button on this page.

Text on next button: This text is displayed on the “Next” button for the currently selected form page that is part of a multi-page form. This text is not used for forms that have only one page.

Show back button: Deactivate this switch to hide the *Back* button on this page.

Text on back button: This text is displayed on the “Back” button for the currently selected form page that is part of a multi-page form.

Validation: After activating the validation function, you can choose between various validation options. Validations are executed either when the user leaves the page (if this is the only page in the form) or when the form is submitted.

JavaScript	Unlike the validation that only checks user input for a single form field, the JavaScript validator gives you the option of checking input for multiple form fields at the same time and creating relationships between these fields.  In the <i>Validation script</i> text box, you can enter JavaScript that is used to validate the data input into the form. Each new form that you create is provided with the empty <i>validate()</i> method. This is a JavaScript function that is executed every time the form is submitted. <pre>function validate() {};</pre> You can input your own validation logic into this function. Please note: if the form data contains errors, the function must return a statement to the form user that clearly describes the error. If no error was determined during validation, then the script must
------------	--

return an empty string (""). In this case, the form data is considered to be correct and is sent for processing.

When creating the validation script, you can use all of the operations and functions available in JavaScript. For handling date values and drop-down lists, the functions *parseDate*, *parseAge* and *isSelected* are also available.

The function *parseDate(date format, date)* converts a character string into a JavaScript object of the *Date* type. For the first parameter, specify the underlying date format; for the second parameter, give the date value.

```
parseDate("dd/MM/yyyy", "18/12/1969");
```

The function *parseAge(date format, date)* calculates a person's age based on the birth date that the person enters into the form. For the first parameter, specify the underlying date format; for the second parameter, give the date value.

```
parseAge("dd/MM/yyyy", "18/12/1969");
```

You can use the function *isSelected(selection, option)* to check whether the user has chosen a specific option from a selection field (single choice, multiple choice or a drop-down list). For the first parameter, specify the technical name of the selection field; for the second parameter, specify the option value (not its label).

```
isSelected(newsletter, "Yes");
```

Access to form values is provided using variables that are made available to you automatically. If you have defined an input field with the technical name *email*, for example, you can access the user input directly by using the *email* variable. You can access the current page number value with the *pageId* variable.

If, for example, you want to ensure that the user can only enter a value into the input field for the postcode (technical name *postcode*) if the user has also entered something into the input field for the town (technical name *town*), then you can set this up by using the following function:

```
function validate () {  
    if (town != "" && postcode == "") {  
        return "Please also enter a postcode.";  
    } else {  
        return "";  
    }  
}
```

The following example shows you a validation script that can be used to ensure that only people aged 16 years or older can subscribe to a newsletter. Younger people can only submit the form without subscribing to the newsletter.


Alongside the input field for the date of birth (technical name *birthday*), the form also includes a drop-down list (technical name *newsletter*) with the option Yes for subscribing to this newsletter.

```
function validate () {  
    var age = parseAge("dd.MM.yyyy", birthday);  
  
    if (isSelected(newsletter, "ja") && age < 16) {  
        return "You must be at least 16 years old to  
subscribe  
        to the newsletter.";  
    } else {  
        return "";  
    }  
}
```

The validation script is executed as soon as the user moves to a different form page or submits the form.

Completed form
elements (Min/
Max)

You use this option to specify how many form elements must be filled out (minimum or maximum number) on a page. This validation ensures that users must complete a specified number of fields before they can submit the form.



Error message: Enter the text that is displayed if the minimum or maximum requirements for completed form elements are not satisfied. This message appears either when the user attempts to leave the page or when the form is submitted.

Minimum number of completed elements: Specify the minimum number of elements that must be filled out on the form page. If you specify a minimum of 3 elements, for example, then the user cannot leave the page or submit the form without meeting this requirement.

Maximum number of completed elements: You can apply a limit to prevent too many elements being filled out on a form page.

This can be advisable if you want a certain selection or quantity of inputs to be made per page.

This validator helps to structure user input and enforce data quality, both when switching pages and when submitting the form.

3.2.2. Conditions

You use the *Conditions* section to specify that certain form pages will be shown or hidden, or that the form will be submitted, based on what the form user has entered into the form so far. Since the first page in a form cannot be hidden, however, please note that this functionality is available only from the second form page onwards.




Figure 3.3. Page condition

To add a new condition, click *Add condition*.

If: Specify the trigger for this condition, so that this page will not be displayed when the user clicks the “Next” button on the previous page.

If the page hidden in this way is the last page of the form, then the form will be submitted when the user clicks the “Next” button.

Configuration of the condition follows the same procedure as for Section 3.3.16, “Condition”.



Take care to ensure that *calculated values* always return a value if you use them within a condition. If field input is used to calculate the value, then you must ensure that the form fields involved are set as required fields.

Then: In this drop-down list, you can specify the action the system should take if the above-mentioned condition is satisfied and the user clicks the “Next” button on the previous page.

Then...

Skip this page

Continue form input on page: Seminar topic

Continue form input on page: Lunch

Submit form

This list only displays form pages where the *Technical name* field is filled out.

3.3. Form elements

Various form elements are available to you for creating your forms.

On the *Form* screen, click the green plus sign in the *Structure* area. A dialog opens, listing all of the available form elements. Click a form element to add it to your form. You edit the properties for form elements on the right-hand side.

The screenshot shows the 'Edit contents' interface for a 'Contact Form'. A 'Form elements' dialog box is open, displaying a search bar and a list of available form elements. The elements are categorized into 'Default' and 'Predefined' sections. The 'Default' section includes 'Input field', 'Single choice', 'Multiple choice', and 'Drop-down list'. The 'Predefined' section includes 'Short text' and 'Long text'. The background interface shows a 'Structure' area with a search bar and a '1. Page' section. At the bottom, there are 'Add page', 'Duplicate', and 'Delete' buttons, along with 'Save' and 'Cancel' buttons.

Figure 3.4. Add form element

The following section describes all of the form elements in detail.

3.3.1. Input field

You use the *input field* form field to add a single-line input field to your form. This field is suitable for entering short pieces of text, such as name and address details, as well as numbers. You can select all of the validation options available in Formcentric.

The screenshot displays the 'Edit Input field' configuration window in the Formcentric application. The interface is divided into two main sections: 'Structure' on the left and 'Edit Input field' on the right. The 'Structure' panel shows a search bar and a list of form elements, including '1. Page' and 'inputField_1'. The 'Edit Input field' panel contains a 'General' tab with various configuration options. These include a 'Label' field set to 'Street', a 'Technical name' field set to 'inputField_1', and a 'New from label' button. Below these are fields for 'Default value', 'Placeholder', 'Max. length', 'Field width', 'Display variant', and 'Autocomplete'. There are also checkboxes for 'Read-only', 'Required field', and 'Autofill' (which is currently selected). A 'Validation' section is at the bottom, with a note about specifying valid content types. At the bottom of the window, there are buttons for 'Add page', 'Duplicate Input field', 'Delete Input field', 'Save', and 'Cancel'.

Figure 3.5. Input field

Label: Enter the text of the label that is displayed next to the form field. By default, the label is placed above the input field. The text can be formatted with the help of Markdown (see Section 3.6, “Markdown”).

Technical name: Each form element that is added to a form is automatically assigned a unique name – known as the “technical name” – by Formcentric. This is necessary for technical reasons, to ensure that the form element can be properly identified and processed. The name is based on the designator for the form element and can be changed if required.



The technical name is a required field. The technical name must start with a letter and must not contain any special characters. In addition, the name must not match an identifier that is listed under Appendix A, *Reserved identifiers*. A technical name can be used only once within a form.

New from label: Alternatively, you can generate a technical name from the label. To do this, click *Generate from label*.

Please note: Here you have the option of adding some text to your form field that gives the user additional information. This could be instructions about filling out the field, for example.

Default value: In this field, you can enter a piece of text that is displayed in the input field when the user accesses the form for the first time. Alternatively, you can make use of a variable here. This could insert the date automatically into the input field, for example (see Section 3.5, “Variables”).

Placeholder: In this field, you can enter a piece of placeholder text that is displayed in the input field. This placeholder text disappears as soon as the user starts typing into the form field.

Max. length: You can use this field to specify a maximum number of characters that the user may enter into the input field.

Field width: Specify how wide the form element should be. Sometimes, it may be useful to display form elements next to one another, e.g. street plus house number.

Display variant: Select one or more of the available display variants here, so as to specify how the input field is displayed in the form. The variants available are specified on a per-project basis.



This option is displayed only if at least one display variant is stored in the system.

Autocomplete: In this field, you can select a data source that will help users fill out the form field by autocompleting text in this field for them. As soon as the user starts typing into the form field, the system displays a list of possible hits from the data source, from which the user can select the entry to use. Formcentric provides you with various data sources, including *Country names*, *Months*, *Years* and *Weekdays*.

You also have the option of entering additional parameters to pass to the data source (see also Section 3.4, “Data sources”).

Read-only: If you check *Read-only*, users will not be able to change the text in the form field. Use this setting if you want to enter predefined variables into this form field (see Section 3.5, “Variables”).

Required field: Check *Required field* if this form field must be filled out when completing the form. An “*” will then be added to the end of the label, marking this form field as a required field. The user will then be unable to submit the form or move to the next page (if this is a multi-page form) if they have not completed this form field properly.

Error message: An input field appears when you check the *Required field* box. Enter some text here for the error message that is displayed if the user tries to skip filling out this form field.

Autofill: You can use the *Autofill* function to improve the auto-fill functionality offered by the browser. Browsers save form data entered previously like addresses and payment details, and then offer these as suggestions for other forms with the same types of fields. To improve the quality of these suggestions, you can tell the browser about the kinds of information that are expected for a specific field. In this way, you can ensure that browsers make appropriate suggestions for auto-completing the form field, which also helps the user to fill out forms faster.

Shipping or invoice address: Select “Shipping” or “Invoice” if this form field is part of a shipping address or an invoice address.

Contact type: Select an appropriate contact type here if users are expected to input a fixed-line or mobile phone number, fax or pager number, or an email address into this form field. Specifying a contact type will affect the selection offered to you for “Usage” (see below). This field is optional and can be left empty.

Usage: Specify the kinds of information entered into this form field.

If you want to stop the browser saving sensitive data and offering this as an autofill suggestion, then you can deactivate “*Autofill*”. To do so, move the slider to the left.



As of this writing, the autofill function is not supported by all web browsers. For an overview of browser compatibility, please see <https://developer.mozilla.org/en-US/docs/Web/HTML/Attributes/autocomplete>.

Validation: If you activate the validation slider (move it to the right), a drop-down list appears. From this list, pick a validator to specify the format to be used for the text that the user enters into the input field. For example, the *email address* validator checks to confirm that a valid email address has been entered into the field.

Edit contents
? X
Contact Form
English

FORMCENTRIC
Form
Actions
Settings
0

Structure
+

Search...
1. Page
inputField_1

Edit Input field

General

Label
Street

Technical name*
inputField_1
New from label

Note

Default value

Placeholder

Max. length

Field width

Display variant

Autocomplete

☐ Read-only

☐ Required field

☒ Validation

Validation

Email address
Date
Number
Regular expression
Postcode

Add page
Duplicate Input field
Delete Input field


Save
Cancel

Figure 3.6. Validation

If the input made into the form does not match the rule(s) you specify here, then an error message is displayed.

Formcentric includes standard validators for *email addresses*, *dates*, *numbers*, *regular expressions*, *postcodes*, *numbers of characters*, *IBANs*, *EU VAT registration numbers*, *BICs*, *matching values* and *telephone numbers*. In addition, you also have the option of using a regular expression to check user input. This is useful for checking data such as customer numbers, etc. The corresponding validator is already activated for predefined form elements.

Email address	The <i>email address</i> validator checks to confirm that the user has entered a valid email address. ☒ Validation Specify the valid types of content that users can enter into the form field. User input is checked to confirm it is correctly formatted. If input does not match your specifications, users will be shown an error message. Validation Email address × ▼ ? Error message ? Error message: Enter some text here for an error message that should be displayed instead of the default error message. This is shown to the user if the form field has not been filled out according to the rule(s) you have set.
Date	The <i>date</i> validator checks to see if the value input is a date. In addition, you can also limit the entry of the date to a certain period of time. This is useful when a meeting can only be scheduled between two specific dates, for example. ☒ Validation Specify the valid types of content that users can enter into the form field. User input is checked to confirm it is correctly formatted. If input does not match your specifications, users will be shown an error message. Validation Date × ▼ ? Error message ? Date format ▼ ? Time restrictions ☒ No time restrictions ☐ Date range ☐ Valid timespan Error message: Enter some text here for an error message that should be displayed instead of the default error message. This is shown to the user if the form field has not been filled out according to the rule(s) you have set. Date format: Select the format that must be used when entering the date.

	The following elements are available: yyyy Year, four digits yy Year, two digits MM Month, two digits dd Day, two digits HH Hour, two digits, 0 to 23 hh Hour, two digits, 0 to 12 mm Minute, two digits No time restrictions: If you select <i>No time restrictions</i>, then the user will be able to enter any date. Date range: Specify a date range here if the user needs to enter a date that lies within a specified period of time. Date from: Select the start date for this period of time. Date to: Select the end date for this period of time. Valid timespan: The values entered here limit the date entered by the user to a number of days before or after the form completion date. Days before completion date: Enter the earliest date before the form completion date that can be entered by the user, expressed as the number of days before the completion date. Days after completion date: Enter the latest date after the form completion date that can be entered by the user, expressed as the number of days after the completion date. To only allow dates in the past, for example, use the <i>Days after completion date</i> parameter and enter either "0" (days in the future, the user can also enter the completion date) or "-1" (days in the future, the user cannot enter the completion date).
Number	The <i>number</i> validator checks to see if the value input is a number. You can also specify a range of numbers that the value entered by the user must match.  The screenshot shows a configuration panel for a form validator. At the top, there's a green toggle switch labeled 'Validation'. Below it, a text box explains: 'Specify the valid types of content that users can enter into the form field. User input is checked to confirm it is correctly formatted. If input does not match your specifications, users will be shown an error message.' The main configuration area includes a dropdown menu labeled 'Validation' with 'Number' selected. Below this are four input fields: 'Error message', 'Min. value', 'Max. value', and 'Integers only' (which is a checkbox). Each of these four fields has a question mark icon to its right.

	Error message: Enter some text here for an error message that should be displayed instead of the default error message. This is shown to the user if the form field has not been filled out according to the rule(s) you have set. Smallest value: Specify the smallest number that the user is allowed to enter. Largest value: Specify the largest number that the user is allowed to enter. Integers only: Select <i>Integers only</i> if you want to prevent the user from entering decimal numbers.
Regular expression	The <i>regular expression</i> validator checks to see whether the character string entered by the user matches a specified pattern. This pattern, which the letters and numbers entered by the user must match, is defined using something called a “regular expression”. A regular expression (which can also be abbreviated as regexp or regex) is a character string that uses syntactical rules to define character string entities. Error message: Enter some text here for an error message that should be displayed instead of the default error message. This is shown to the user if the form field has not been filled out according to the rule(s) you have set. RegEx: In this field, you can enter or select a regular expression that defines the input format you require. A list of suggestions already contains regular expressions suitable for a range of common applications. You can either use these directly or modify them to suit your personal requirements. You will find a short guide to the authoring of regular expressions at the following URL: https://en.wikipedia.org/wiki/Regular_expression
Postcode	The <i>postcode</i> validator checks to see if the value input is a valid postcode.

 **Validation**

Specify the valid types of content that users can enter into the form field. User input is checked to confirm it is correctly formatted. If input does not match your specifications, users will be shown an error message.

Error message: Enter some text here for an error message that should be displayed instead of the default error message. This is shown to the user if the form field has not been filled out according to the rule(s) you have set.

Country: Select the country for which the postcode should be validated.

Country selection: If your form contains a drop-down list (see Section 3.3.4, “Drop-down list”) with a country selection, you can select the corresponding form field here. The postcode must then come from the country that the user selected from that list. If both a country and a country selection have been made, then the country selection has priority.



Please note that the *Value* fields for the entries in the drop-down list must contain the valid country codes according to ISO 3166 (e.g. *DE* for Germany). The countries cannot be validated without valid country codes.

The postcode validator supports the formats used in the countries listed below:

Albania (AL), Austria (AT), Belgium (BE), Bosnia and Herzegovina (BA), Bulgaria (BG), Croatia (HR), Cyprus (CY), Czech Republic (CZ), Denmark (DK), Estonia (EE), Finland (FI), France (FR), French Guiana (GF), Germany (DE), Greece (GR), Guadeloupe (GP), Hungary (HU), Iceland (IS), Ireland (IE), Italy (IT), Kosovo (RS-KM), Latvia (LV), Liechtenstein (LI), Lithuania (LT), Luxembourg (LU), Macedonia (MK), Malta (MT), Martinique (MQ), Moldavia (MD), Montenegro (ME), Netherlands (NL), Norway (NO), Poland (PL), Portugal (PT), Réunion (RE), Romania (RO), Serbia (RS), Slovakia (SK), Slovenia (SI), Spain (ES), Sweden (SE), Switzerland (CH), Tunisia (TN), Turkey (TR), Ukraine (UA), United Kingdom (UK)

Number of characters	The <i>number of characters</i> validator checks the number of characters entered.  Validation Specify the valid types of content that users can enter into the form field. User input is checked to confirm it is correctly formatted. If input does not match your specifications, users will be shown an error message. Validation Number of characters Error message Min. no. of characters Max. no. of characters Error message: Enter some text here for an error message that should be displayed instead of the default error message. This is shown to the user if the form field has not been filled out according to the rule(s) you have set. Minimum no. of characters: Enter the minimum number of characters that the user must enter into the input field. Maximum no. of characters: Enter the maximum number of characters that the user may enter into the input field.
IBAN	The <i>IBAN</i> validator checks to see if the user has input a valid International Bank Account Number (IBAN).  Validation Specify the valid types of content that users can enter into the form field. User input is checked to confirm it is correctly formatted. If input does not match your specifications, users will be shown an error message. Validation IBAN Error message Country Country selection Error message: Enter some text here for an error message that should be displayed instead of the default error message. This is shown to the user if the form field has not been filled out according to the rule(s) you have set. Country: If the format for the IBAN entered must match the IBAN format for a specific country, select that country here. If you do

not select a country, the validator only checks to see if the value entered matches the standard IBAN format.

Country selection: If your form contains a drop-down list (see Section 3.3.4, “Drop-down list”) with a country selection, you can select the corresponding form field here. In this case, the format of the IBAN entered must match the format that is valid in the country which the user has selected from the drop-down list. If both a country and a country selection have been made, then the country selection has priority.



The validator checks user input to confirm that it corresponds to the basic structure of an IBAN. Even if the format is valid, this does not mean that the IBAN actually exists or belongs to the associated account.

European Union
VAT ID number

The *European Union VAT ID number* validator checks to confirm that user input matches the structure of an EU VAT ID number.

The screenshot shows a configuration panel for the 'European Union VAT ID number' validator. At the top, there is a 'Validation' toggle switch which is turned on. Below the toggle, a descriptive text explains that the validator checks user input against specified content types and formats, showing an error message if it doesn't match. The configuration area contains four fields, each with a clear (X) and help (?) icon: 'Validation' (set to 'European Union VAT ID number'), 'Error message' (empty), 'Country' (empty), and 'Country selection' (empty).

Error message: Enter some text here for an error message that should be displayed instead of the default error message. This is shown to the user if the form field has not been filled out according to the rule(s) you have set.

Country: If the format for the EU VAT registration number entered must match the format for a specific country, select that country here. If you do not select a country, the validator only checks to see if the value entered matches the standard EU VAT registration number format.

Country selection: If your form contains a drop-down list (see Section 3.3.4, “Drop-down list”) with a country selection, you can select the corresponding form field here. In this case, the format of the EU VAT registration number entered must match the format that is valid in the country which the user has selected from the

drop-down list. If both a country and a country selection have been made, then the country selection has priority.



The validator checks user input to confirm that it corresponds to the basic structure of a European Union VAT registration number. Even if the format is valid, however, this does not mean that the EU VAT registration number actually exists.

BIC

The *BIC* validator checks to see if the user has input a valid international Bank Identifier Code (BIC).



Validation

Specify the valid types of content that users can enter into the form field. User input is checked to confirm it is correctly formatted. If input does not match your specifications, users will be shown an error message.

Validation BIC	X	?
Error message		?

Error message: Enter some text here for an error message that should be displayed instead of the default error message. This is shown to the user if the form field has not been filled out according to the rule(s) you have set.



The validator checks user input to confirm that it corresponds to the basic structure of a BIC. Even if the format is valid, however, this does not mean that the BIC actually exists.

Equal value

The *equal value* validator compares two input fields and checks to confirm that the input in these fields is identical.




Validation

Specify the valid types of content that users can enter into the form field. User input is checked to confirm it is correctly formatted. If input does not match your specifications, users will be shown an error message.

Validation Equal value	X	?
Error message		?
Compare with	X	?

Error message: Enter some text here for an error message that should be displayed instead of the default error message. This is shown to the user if the form field has not been filled out according to the rule(s) you have set.

	Compare with: Select a second input field whose value will be compared with the first input field. The validator then checks to confirm that the two input fields have matching input.
Phone number	The <i>phone number</i> validator checks to see if the user input is a valid phone number. You can also specify phone number types and/or specify that the phone number must come from a specific country.  Validation Specify the valid types of content that users can enter into the form field. User input is checked to confirm it is correctly formatted. If input does not match your specifications, users will be shown an error message. Validation Phone number × ▼ ? Error message ? Valid phone number types × ▼ ? Country × ▼ ? Country selection × ▼ ? Error message: Enter some text here for an error message that should be displayed instead of the default error message. This is shown to the user if the form field has not been filled out according to the rule(s) you have set. Valid phone number types: Select the valid phone number types from this list. The phone number entered must then match these types. If you do not select any phone number types, the phone number is not validated. The following formats are supported: Fixed line (FIXED_LINE), mobile (MOBILE), fixed line or mobile (FIXED_LINE_OR_MOBILE), toll-free (TOLL_FREE), premium rate (PREMIUM_RATE), shared cost (SHARED_COST), VOIP (VOIP), personal number (PERSONAL_NUMBER), pager (PAGER), universal access numbers (UAN), voicemail (VOICE-MAIL), unknown (UNKNOWN).  For some countries, the <i>fixed line</i> and <i>mobile</i> types may be ambiguous. In these cases, you may also need to select the <i>fixed line or mobile</i> type in order to ensure that validation executes correctly. The <i>fixed line or mobile</i> phone number type is not a combination of <i>fixed line</i> and <i>mobile</i>, but is a separate phone number type.

	Country: Select a country here if the phone number must come from a specific country. Country selection: If your form contains a drop-down list (see Section 3.3.4, “Drop-down list”) with a country selection, then you can select the corresponding form field here. The phone number entered must then come from the country that the user selected from that list. If both a country and a country selection have been made, then the country selection has priority. Please note that the <i>Value</i> fields for the entries in the drop-down list must contain the valid country codes according to ISO 3166 (e.g. <i>DE</i> for Germany).
Credit card	This validator checks that the entered card number has the correct length, valid checksum, and is associated with a recognized provider. This helps prevent input errors and ensures that only valid credit cards are accepted. Additionally, you can choose to accept only specific providers if needed.  Error message: Enter some text here for an error message that should be displayed instead of the default error message. This is shown to the user if the form field has not been filled out according to the rule(s) you have set. Card type: Select one or more card types to define which providers are accepted. If no selection is made, all listed types will be accepted.. The following card types are supported: Visa Card (VISA), MasterCard (MASTERCARD), American Express (AMEX), Diners Club (DINERS), JCB Card (JCB), and Discover Card (DISCOVER).  Please note that the validation only checks the entered card number for correct length, valid checksum, and association with a recognized provider. It does not verify whether the card actually exists or is active.

Duplicating an input field: Click *Duplicate input field* to add a copy of this form field to your form.

Deleting an input field: Click *Delete input field* to delete the form field.

3.3.2. Single choice

A *single choice* field offers your user several options to choose from. The user can select only one of these options, however: if the user picks a second option, then the option previously chosen is unselected. The individual options are displayed as radio buttons.

The screenshot shows the 'Edit Single choice' configuration interface. On the left, the 'Structure' pane shows a tree view with '1. page' expanded, containing a 'Language' field with 4 options: Danish, English, German, and Italian. The main area is titled 'Edit Single choice' and contains a 'General' section with the following fields: 'Label' (set to 'Language'), 'Technical name' (set to 'singleChoice_1'), a rich text editor for 'Note', a 'Select image' button, 'Preselection', 'Field width' (a dropdown), and three checkboxes: 'Required field', 'Submit', and 'Data source'. At the bottom of the main area is a '+ New option' button. The bottom of the interface has a 'Save' button and a 'Cancel' button. The top of the interface shows 'Edit contents', 'Contact form', and a language selector set to 'German'.

Figure 3.7. Single choice

Label: Enter the text of the label that is displayed next to the form field. By default, the label is placed above the single choice field. The text can be formatted with the help of Markdown (see Section 3.6, “Markdown”).

Technical name: Each form element that is added to a form is automatically assigned a unique name – known as the “technical name” – by Formcentric. This is necessary for technical reasons, to ensure that the form element can be properly identified and processed. The name is based on the designator for the form element and can be changed if required.



The technical name is a required field. The technical name must start with a letter and must not contain any special characters. In addition, the name must not match an identifier that is listed under Appendix A, *Reserved identifiers*. A technical name can be used only once within a form.

New from label: Alternatively, you can generate a technical name from the label. To do this, click *Generate from label*.

Please note: Here you have the option of adding some text to your form field that gives the user additional information. This could be instructions about filling out the field, for example.

Select image: You can select an image here that will be shown together with the select field.

Preselection: You can specify that an option is preselected when the form is first accessed. You can also select options that are generated with the aid of a data source. Enter the *value* for the corresponding option here.

Figure 3.8. Preselection

Let's assume that you have added the *Country names* data source and you would like “Germany” to be preselected. In the *Country names* data source, the values for the options match the country codes according to ISO 3166. This means that you need to enter *DE* here for Germany.

Field width: Specify how wide the single choice field should be.

Display variant: Select one or more of the available display variants here, so as to specify how the single choice field is displayed in the form. The variants available are specified on a per-project basis.



This option is displayed only if at least one display variant is stored in the system.

Required field: Check *Required field* if this form field must be filled out when completing the form. An “*” will then be added to the end of the label, marking this form field as a required field. The user will then be unable to submit the form or move to the next page (if this is a multi-page form) if they have not completed this form field properly.

Error message: An input field appears when you check the *Required field* box. Enter some text here for the error message that is displayed if the user tries to skip filling out this form field.

Submit: Check *Submit form page on select* to forward users to the next form page when they make a selection. If the single choice field is on the last page of the form, the form itself is submitted.

Data source: Select a data source that will be used to fill the single choice field with external data at runtime.

Figure 3.9. Data source

You also have the option of entering additional parameters to pass to the data source (see also Section 3.4, “Data sources”).

Formcentric provides you with various data sources, including *Country names*, *Months*, *Year numbers* and *Weekdays*.

Duplicating a single choice field: Click *Duplicate single choice* to add a copy of this single choice field to your form.

Deleting a single choice field: Click *Delete single choice* to delete the single choice field.

Adding options: Once you've added your single choice field to the form and defined the corresponding properties, you can then set up the individual options for the field.

To do this, click *New option* in the lower part of the editing area for the single choice field. Alternatively, select the single choice in the form tree and click the green plus sign shown in a circle. You can then specify the properties for each individual option in the corresponding editing area.

Figure 3.10. Edit option

Label: Enter the text to be shown for the option. The text can be formatted with the help of Markdown (see Section 3.6, “Markdown”).

Value: Enter a value for the option. Please note that this identifier must be unique. This value is submitted with the form when the user picks this option.

If you specify “EMPTY_VALUE” as the value here, then this option will be ignored in later processing steps, even if selected by the user. This function can be used if you want to add a “Please select” option, for example.

Select image: You can select an image here that will be shown together with the option.

Preselected: If you check this check box, then the option will be preselected.

Duplicate option: Click Duplicate option to add a copy of this form element to your form.

Delete option: Click *Delete option* to delete the form element.

3.3.3. Multiple choice

A *multiple choice* field again offers your user several options to choose from. This time, however, the user can pick more than one option. Each of these options is shown as a check box.

The screenshot shows the 'Edit contents' interface for a 'Multiple choice' field. The interface is divided into a left sidebar and a main editing area.

Left Sidebar:

- Search...
- 1. page
 - Information about (selected) + ... 2
 - Sweden
 - Denmark

Main Editing Area:

Edit Multiple choice

General

- Label: Information about
- Technical name: multipleChoices_1
- Note
- Select image
- Preselection
- Field width
- ☐ Required field
- ☐ Data source
- + New option

Bottom Bar:

- + Add page
- + Duplicate Multiple choice
- Delete Multiple choice
- ✓ Save
- ✕ Cancel

Figure 3.11. Multiple choice

Label: Enter the text of the label that is displayed next to the form field. By default, the label is placed above the multiple choice field. The text can be formatted with the help of Markdown (see Section 3.6, "Markdown").

Technical name: Each form element that is added to a form is automatically assigned a unique name – known as the “technical name” – by Formcentric. This is necessary for technical reasons, to ensure that the form element can be properly identified and processed. The name is based on the designator for the form element and can be changed if required.



The technical name is a required field. The technical name must start with a letter and must not contain any special characters. In addition, the name must not match an identifier that is listed under Appendix A, *Reserved identifiers*. A technical name can be used only once within a form.

New from label: Alternatively, you can generate a technical name from the label. To do this, click *Generate from label*.

Please note: Here you have the option of adding some text to your form field that gives the user additional information. This could be instructions about filling out the field, for example.

Select image: You can select an image here that will be shown together with the select field.

Preselection: You can specify that an option is preselected when the form is first accessed. You can also select options that are generated with the aid of a data source. Enter the *value* for the corresponding option here.

Figure 3.12. Preselection

Let's assume that you have added the *Country names* data source and you would like “Germany” to be preselected. In the *Country names* data source, the values for the options match the country codes according to ISO 3166. This means that you need to enter *DE* here for Germany.

Field width: Specify how wide the multiple choice field should be.

Display variant: Select one or more of the available display variants here, so as to specify how the multiple choice field is displayed in the form. The variants available are specified on a per-project basis.



This option is displayed only if at least one display variant is stored in the system.

Required field: Check *Required field* if this form field must be filled out when completing the form. An “*” will then be added to the end of the label, marking this form field as a required field. The user will then be unable to submit the form or move to the next page (if this is a multi-page form) if they have not completed this form field properly.

Error message: An input field appears when you check the *Required field* box. Enter some text here for the error message that is displayed if the user tries to skip filling out this form field.

Data source: Select a data source that will be used to fill the multiple choice field with external data at runtime.

Figure 3.13. Data source

You also have the option of entering additional parameters to pass to the data source (see also Section 3.4, “Data sources”).

Formcentric provides you with various data sources, including *Country names*, *Months*, *Year numbers* and *Weekdays*.

Duplicating a multiple choice field: Click *Duplicate multiple choice* to add a copy of this form field to your form.

Deleting a multiple choice field: Click *Delete multiple choice* to delete the form field.

Adding options: Once you’ve added your multiple choice field to the form and defined the corresponding properties, you can then set up the individual options for the field.

To do this, click *New option* in the lower part of the editing area for the multiple choice field. Alternatively, select the multiple choice in the form tree and click the green plus sign shown in a circle. You can then specify the properties for each individual option in the corresponding editing area.

Figure 3.14. Edit option

Label : Enter the text to be shown for the option. The text can be formatted with the help of Markdown (see Section 3.6, “Markdown”).

Value: Enter a value for the option. Please note that this identifier must be unique. This value is submitted with the form when the user picks this option.

If you specify “EMPTY_VALUE” as the value here, then this option will be ignored in later processing steps, even if selected by the user. This function can be used if you want to add a “Please select” option, for example.

Select image: You can select an image here that will be shown together with the option.

Preselected: If you check this check box, then the option will be preselected.

Duplicate option: Click Duplicate option to add a copy of this form element to your form.

Delete option: Click *Delete option* to delete the form element.

3.3.4. Drop-down list

With a *drop-down list*, you offer your user one or more options in the form of a drop-down menu of options. The individual options are not displayed until the user actually

clicks to select the drop-down list. You can allow your user to pick just one or multiple options. You configure this in the list settings.

The screenshot shows the 'Edit Drop-down list' configuration window. On the left, the 'Structure' pane shows a tree view with '1. page' expanded, containing a 'Subject' dropdown list with 3 options: 'Proposal', 'Feedback', and 'Question'. The main area is titled 'Edit Drop-down list' and contains the following settings:

- General**
 - Label:** Subject
 - Technical name:** dropdownList_1
 - Note:** A text area for additional notes.
 - Select image:** A button to upload an image.
 - Preselection:** A dropdown menu.
 - Field width:** A dropdown menu.
 - Required field:** ☐
 - Placeholder:** ☐
 - User input:** ☐
 - Multiple choice:** ☐
 - Data source:** ☐
 - Autofill:** ☒ The field is locked for autofill by the browser.
- + New option** button

At the bottom, there are buttons for 'Add page', 'Duplicate Drop-down list', and 'Delete Drop-down list'. The bottom of the window features a 'Save' button and a 'Cancel' button.

Figure 3.15. Drop-down list

Label: Enter the text of the label that is displayed next to the form field. By default, the label is placed above the drop-down list. The text can be formatted with the help of Markdown (see Section 3.6, “Markdown”).

Technical name: Each form element that is added to a form is automatically assigned a unique name – known as the “technical name” – by Formcentric. This is necessary for technical reasons, to ensure that the form element can be properly identified and processed. The name is based on the designator for the form element and can be changed if required.



The technical name is a required field. The technical name must start with a letter and must not contain any special characters. In addition, the name must not match an identifier that is listed under Appendix A, *Reserved identifiers*. A technical name can be used only once within a form.

New from label: Alternatively, you can generate a technical name from the label. To do this, click *Generate from label*.

Please note: Here you have the option of adding some text to your form field that gives the user additional information. This could be instructions about filling out the field, for example.

Select image: You can select an image here that will be shown together with the drop-down list.

Preselection: You can specify that one option or several options is/are preselected when the form is first accessed. You can also select options that are generated with the aid of a data source. Enter the *values* for the options here. In the case of several options, separate these with a comma and check *multiple choice*.

Figure 3.16. Preselection

Let's assume that you have added the *Country names* data source, and you would like Germany and the UK to be preselected. In the *Country names* data source, the values for the options match the country codes according to ISO 3166. This means that you need to enter *DE* here for Germany and *GB* for the United Kingdom.

Field width: Specify how wide the drop-down list should be.

Display variant: Select one or more of the available display variants here, so as to specify how the drop-down list is displayed in the form. The variants available are specified on a per-project basis.



This option is displayed only if at least one display variant is stored in the system.

Required field: Check *Required field* if this form field must be filled out when completing the form. An “*” will then be added to the end of the label, marking this form field as a required field. The user will then be unable to submit the form or move to the next page (if this is a multi-page form) if they have not completed this form field properly.

Error message: An input field appears when you check the *Required field* box. Enter some text here for the error message that is displayed if the user tries to skip filling out this form field.

Placeholder: Check *Placeholder* to enter a piece of text, such as “Please make a selection”, that will be displayed in the drop-down list.

User input: Check *User input* to let users enter their own option(s).

Multiple choice: Check *Multiple choice* if the user is allowed to pick multiple options.

Data source: Select a data source that will be used to fill the drop-down list with external data at runtime.

Figure 3.17. Data source

You also have the option of entering additional parameters to pass to the data source (see also Section 3.4, “Data sources”).

Formcentric provides you with various data sources, including *Country names*, *Months*, *Year numbers* and *Weekdays*.

Autofill: You can use the *Autofill* function to improve the auto-fill functionality offered by the browser. Browsers save form data entered previously like addresses and payment details, and then offer these as suggestions for other forms with the same types of fields. To improve the quality of these suggestions, you can tell the browser about the kinds of information that are expected for a specific field. In this way, you can ensure that browsers make appropriate suggestions for auto-completing the field, which also helps the user to fill out forms faster.

Shipping or invoice address: Select “Shipping” or “Invoice” if this form field is part of a shipping address or an invoice address.

Contact type: Select an appropriate contact type here if users are expected to input a fixed-line or mobile phone number, fax or pager number, or an email address into this form field. Specifying a contact type will affect the selection offered to you for “Usage” (see below). This field is optional and can be left empty.

Usage: Specify the kinds of information entered into this form field.

If you want to stop the browser saving sensitive data and offering this as an autofill suggestion, then you can deactivate “*Autofill*”. To do so, move the slider to the left.



As of this writing, the autofill function is not supported by all web browsers. For an overview of browser compatibility, please see <https://developer.mozilla.org/en-US/docs/Web/HTML/Attributes/autocomplete>.

Duplicating a drop-down list: Click *Duplicate drop-down list* to add a copy of this form field to your form.

Deleting a drop-down list: Click *Delete drop-down list* to delete the form field.

Adding options: Once you've added your drop-down list to the form and defined the corresponding properties, you can then set up the individual options for the field.

To do this, click *New option* in the lower part of the editing area for the drop-down list. Alternatively, select the drop-down list in the form tree and click the green plus sign shown in a circle. You can then specify the properties for each individual option in the corresponding editing area.

Figure 3.18. Edit option

Label : Enter the text to be shown for the option.

Value : Enter a value for the option. Please note that this identifier must be unique. This value is submitted with the form when the user picks this option.

If you specify “EMPTY_VALUE” as the value here, then this option will be ignored in later processing steps, even if selected by the user. This function can be used if you want to add a “Please select” option, for example.

Select image: You can select an image here that will be shown together with the option.

Preselected : If you check this check box, then the option will be preselected.

Duplicate option: Click Duplicate option to add a copy of this form element to your form.

Delete option: Click *Delete option* to delete the form element.

3.3.5. Short text

You use the predefined *short text* form field to add a single-line input field to your form that does not require any further validation. This element is ideal for short user responses such as entering a first and last name.

The screenshot displays the 'Edit contents' window for a 'Contact Form' in Formcentric. The top navigation bar includes 'FORMCENTRIC', 'Form', 'Actions', and 'Settings', along with a language dropdown set to 'English'. The left sidebar, titled 'Structure', shows a search bar and a list of form elements under '1. Page', including a 'First name' field. The main workspace is titled 'Edit Short text' and contains a 'General' configuration panel. This panel includes fields for 'Label' (set to 'First name'), 'Technical name' (set to 'shortText_1'), a 'Note' text area, 'Default value', 'Placeholder', 'Max. length', and 'Field width'. It also features checkboxes for 'Read-only', 'Required field', and an 'Autofill' toggle. At the bottom of the workspace are 'Add page', 'Duplicate Short text', and 'Delete Short text' buttons. The bottom of the window has a blue 'Save' button and a 'Cancel' button.

Figure 3.19. Short text

Label: Enter the text of the label that is displayed next to the form field. By default, the label is placed above the form field. The text can be formatted with the help of Markdown (see Section 3.6, “Markdown”).

Technical name: Each form element that is added to a form is automatically assigned a unique name – known as the “technical name” – by Formcentric. This is necessary for technical reasons, to ensure that the form element can be properly identified and processed. The name is based on the designator for the form element and can be changed if required.



The technical name is a required field. The technical name must start with a letter and must not contain any special characters. In addition, the name

must not match an identifier that is listed under Appendix A, *Reserved identifiers*. A technical name can be used only once within a form.

New from label: Alternatively, you can generate a technical name from the label. To do this, click *Generate from label*.

Please note: Here you have the option of adding some text to your form field that gives the user additional information. This could be instructions about filling out the field, for example.

Default value: In this field, you can enter a piece of text that is shown in the form field when the user accesses the form for the first time. Alternatively, you can make use of a variable here. This could insert the date automatically into the form field, for example (see Section 3.5, “Variables”).

Placeholder: In this field, you can enter a piece of placeholder text that is displayed in the form field. This placeholder text disappears as soon as the user starts typing into the form field.

Max. length: You can use this field to specify a maximum number of characters that the user may enter into the form field.

Field width: Specify how wide the input field should be.

Display variant: Select one or more of the available display variants here, so as to specify how the *short text* form element is displayed in the form. The variants available are specified on a per-project basis.



This option is displayed only if at least one display variant is stored in the system.

Read-only: If you check *Read-only*, the user will not be able to change the text in the form field. Use this setting if you want to enter predefined variables into this form field (see Section 3.5, “Variables”).

Required field: Check *Required field* if this form field must be filled out when completing the form. An “*” will then be added to the end of the label, marking this form field as a required field. The user will then be unable to submit the form or move to the next page (if this is a multi-page form) if they have not completed this form field properly.

Error message: An input field appears when you check the *Required field* box. Enter some text here for the error message that is displayed if the user tries to skip filling out this form field.

Autofill: You can use the *Autofill* function to improve the auto-fill functionality offered by the browser. Browsers save form data entered previously like addresses and payment details, and then offer these as suggestions for other forms with the same types of fields. To improve the quality of these suggestions, you can tell the browser

about the kinds of information that are expected for a specific field. In this way, you can ensure that browsers make appropriate suggestions for auto-completing the field, which also helps the user to fill out forms faster.

Usage: Specify the kinds of information entered into this form field.

If you want to stop the browser saving sensitive data and offering this as an autofill suggestion, then you can deactivate “*Autofill*”. To do so, move the slider to the left.



As of this writing, the autofill function is not supported by all web browsers. For an overview of browser compatibility, please see <https://developer.mozilla.org/en-US/docs/Web/HTML/Attributes/autocomplete>.

Duplicating a short text: Click *Duplicate short text* to add a copy of this form field to your form.

Deleting a short text: Click *Delete short text* to delete this form field.

3.3.6. Long text

You use the predefined *long text* form field (previously known as a “textarea” field) to add a multi-line input field to your form, which can also contain line breaks. This field is ideal for comments or messages, for example.

The screenshot displays the 'Edit contents' window for a 'Contact Form'. The top navigation bar includes the 'FORMCENTRIC' logo and tabs for 'Form', 'Actions', and 'Settings'. A language dropdown is set to 'English'. The left sidebar shows the 'Structure' view with a search bar and a list of pages, including '1. Page' which contains an 'Enter your question' field. The main content area is titled 'Edit Long text' and features a 'General' tab with the following configuration options:

- Label:** A text input field containing 'Enter your question'.
- Technical name:** A text input field containing 'longText_1', with a 'New from label' button.
- Note:** A rich text editor with a toolbar and a text area.
- Default value:** A text input field.
- Placeholder:** A text input field.
- Max. length:** A text input field.
- Rows:** A text input field.
- Columns:** A text input field.
- Field width:** A dropdown menu.
- Read-only:** A checkbox.
- Required field:** A checkbox.
- Autofill:** A toggle switch, currently turned on, with a note: 'The field is locked for autofill by the browser.'

At the bottom of the sidebar, there is an 'Add page' button. At the bottom of the main area, there are buttons for 'Duplicate Long text' and 'Delete Long text'. The bottom of the window features a 'Save' button and a 'Cancel' button.

Figure 3.20. Long text

Label: Enter the text of the label that is displayed next to the form field. By default, the label is placed above the form field. The text can be formatted with the help of Markdown (see Section 3.6, “Markdown”).

Technical name: Each form element that is added to a form is automatically assigned a unique name – known as the “technical name” – by Formcentric. This is necessary for technical reasons, to ensure that the form element can be properly

identified and processed. The name is based on the designator for the form element and can be changed if required.



The technical name is a required field. The technical name must start with a letter and must not contain any special characters. In addition, the name must not match an identifier that is listed under Appendix A, *Reserved identifiers*. A technical name can be used only once within a form.

New from label: Alternatively, you can generate a technical name from the label. To do this, click *Generate from label*.

Please note: Here you have the option of adding some text to your form field that gives the user additional information. This could be instructions about filling out the field, for example.

Default value: In this field, you can enter a piece of text that is shown in the text field when the user accesses the form for the first time. Alternatively, you can add a variable here. This could insert the date automatically into the form field, for example (see Section 3.5, “Variables”).

Placeholder: In this field, you can enter a piece of placeholder text that is displayed in the text field. This placeholder text disappears as soon as the user starts typing into the form field.

Max. length: You can use this field to specify a maximum number of characters that the user may enter into the text field.

Rows: You use this field to set the height of the text field. If you enter the value “5”, for example, then the form field will be displayed so that five lines of text will be visible at any one time.

Columns: You use this field to set the width of the text field. If you enter the value “30”, for example, then the text field will be shown word-wrapped to about 30 characters per line.

Field width: Specify how wide the text field should be.

Display variant: Select one or more of the available display variants here, so as to specify how the text field is displayed in the form. The variants available are specified on a per-project basis.



This option is displayed only if at least one display variant is stored in the system.

Read-only: If you check *Read-only*, the user will not be able to change the text in the form field. Use this setting if you want to enter predefined variables into this form field (see Section 3.5, “Variables”).

Required field: Check *Required field* if this form field must be filled out when completing the form. An “*” will then be added to the end of the label, marking this

form field as a required field. The user will then be unable to submit the form or move to the next page (if this is a multi-page form) if they have not completed this form field properly.

Error message: An input field appears when you check the *Required field* box. Enter some text here for the error message that is displayed if the user tries to skip filling out this form field.

Autofill: You can use the *Autofill* function to improve the auto-fill functionality offered by the browser. Browsers save form data entered previously like addresses and payment details, and then offer these as suggestions for other forms with the same types of fields. To improve the quality of these suggestions, you can tell the browser about the kinds of information that are expected for a specific field. In this way, you can ensure that browsers make appropriate suggestions for auto-completing the field, which also helps the user to fill out forms faster.

Shipping or invoice address: Select “Shipping” or “Invoice” if this form field is part of a shipping address or an invoice address.

Usage: Specify the kinds of information entered into this form field.

If you want to stop the browser saving sensitive data and offering this as an autofill suggestion, then you can deactivate “*Autofill*”. To do so, move the slider to the left.



As of this writing, the autofill function is not supported by all web browsers. For an overview of browser compatibility, please see <https://developer.mozilla.org/en-US/docs/Web/HTML/Attributes/autocomplete>.

Duplicating a long text: Click *Duplicate long text* to add a copy of this form field to your form.

Deleting a long text: Click *Delete long text* to delete this form field.

3.3.7. Email address

You use the predefined *email address* form field to add a form field to your form that will check the text entered by the user, so as to confirm that the email address entered is valid in terms of its format.

The screenshot shows the Formcentric 'Edit Email' configuration interface. The interface is divided into a left 'Structure' pane and a right 'General' configuration pane. The 'Structure' pane shows a tree view with '1. page' expanded, containing an 'Email' element. The 'General' pane has fields for 'Label' (set to 'Email'), 'Technical name' (set to 'email_1'), 'Default value', 'Placeholder', and 'Field width'. It also includes checkboxes for 'Read-only', 'Required field', and a toggle for 'Autofill'. A 'Validation' section contains an 'Error message' field. At the bottom are 'Add page', 'Duplicate Email', and 'Delete Email' buttons. A blue 'Save' button and a white 'Cancel' button are at the very bottom.

Figure 3.21. Email

Label: Enter the text of the label that is displayed next to the form field. By default, the label is placed above the form field. The text can be formatted with the help of Markdown (see Section 3.6, “Markdown”).

Technical name: Each form element that is added to a form is automatically assigned a unique name – known as the “technical name” – by Formcentric. This is necessary for technical reasons, to ensure that the form element can be properly identified and processed. The name is based on the designator for the form element and can be changed if required.



The technical name is a required field. The technical name must start with a letter and must not contain any special characters. In addition, the name must not match an identifier that is listed under Appendix A, *Reserved identifiers*. A technical name can be used only once within a form.

New from label: Alternatively, you can generate a technical name from the label. To do this, click *Generate from label*.

Please note: Here you have the option of adding some text to your form field that gives the user additional information. This could be instructions about filling out the field, for example.

Default value: In this field, you can enter a piece of text that is shown in the form field when the user accesses the form for the first time. Alternatively, you can add a variable here (see Section 3.5, “Variables”).

Placeholder: In this field, you can enter a piece of placeholder text that is displayed in the form field. This placeholder text disappears as soon as the user starts typing into the form field.

Field width: Specify how wide the *email address* form field should be.

Display variant: Select one or more of the available display variants here, so as to specify how the *email address* form field is displayed in the form. The variants available are specified on a per-project basis.



This option is displayed only if at least one display variant is stored in the system.

Read-only: If you check *Read-only*, the user will not be able to change the text in the form field. Use this setting if you want to enter predefined variables into this form field (see Section 3.5, “Variables”).

Required field: Check *Required field* if this form field must be filled out when completing the form. An “*” will then be added to the end of the label, marking this form field as a required field. The user will then be unable to submit the form or move to the next page (if this is a multi-page form) if they have not completed this form field properly.

Error message: An input field appears when you check the *Required field* box. Enter some text here for the error message that is displayed if the user tries to skip filling out this form field.

Autofill: You can use the *Autofill* function to improve the auto-fill functionality offered by the browser. Browsers save form data entered previously like addresses and payment details, and then offer these as suggestions for other forms with the same types of fields. To improve the quality of these suggestions, you can tell the browser about the kinds of information that are expected for a specific field. In this way, you

can ensure that browsers make appropriate suggestions for auto-completing the field, which also helps the user to fill out forms faster.

Shipping or invoice address: Select “Shipping” or “Invoice” if this form field is part of a shipping address or an invoice address.

Contact type: Select an appropriate contact type here if users are expected to input a fixed-line or mobile phone number, fax or pager number, or an email address into this form field. Specifying a contact type will affect the selection offered to you for “Usage” (see below). This field is optional and can be left empty.

Usage: Specify the kinds of information entered into this form field.

If you want to stop the browser saving sensitive data and offering this as an autofill suggestion, then you can deactivate “Autofill”. To do so, move the slider to the left.



As of this writing, the autofill function is not supported by all web browsers. For an overview of browser compatibility, please see <https://developer.mozilla.org/en-US/docs/Web/HTML/Attributes/autocomplete>.

Validation: You can make the following setting, as required:

Error message: Enter some text here for an error message that should be displayed instead of the default error message. This is shown to the user if their input does not match the format that is required for a valid email address.

Duplicating an email address: Click *Duplicate email address* to add a copy of this form field to your form.

Deleting an email address: Click *Delete email address* to delete this form field.

3.3.8. Number

You use the predefined *number* form field to add a form field to your form that only accepts numerical input from the user. If required, you can define criteria for this number that further restrict user input.

Form

Contact Form

English

FORMCENTRIC

Form

Actions

Settings

0

Structure

+

Edit Number

Search...

1 page

42 Floor space

General

Label

Floor space

Technical name*

number_1

New from label

tt

B

I

≡

≡

¶

<>

</>

🖼

🔗

Note

Default value

Placeholder

Field width

☐ Read-only

☐ Required field

☒ Autofill

The field is locked for autofill by the browser.

Validation

Specify further criteria for the number.

Error message

Min. value

Max. value

☐ Integers only

Add page

Duplicate Number

Delete Number

Save

Cancel

Figure 3.22. Number

Label: Enter the text of the label that is displayed next to the form field. By default, the label is placed above the form field. The text can be formatted with the help of Markdown (see Section 3.6, “Markdown”).

Technical name: Each form element that is added to a form is automatically assigned a unique name – known as the “technical name” – by Formcentric. This is necessary for technical reasons, to ensure that the form element can be properly identified and processed. The name is based on the designator for the form element and can be changed if required.



The technical name is a required field. The technical name must start with a letter and must not contain any special characters. In addition, the name must not match an identifier that is listed under Appendix A, *Reserved identifiers*. A technical name can be used only once within a form.

New from label: Alternatively, you can generate a technical name from the label. To do this, click *Generate from label*.

Please note: Here you have the option of adding some text to your form field that gives the user additional information. This could be instructions about filling out the field, for example.

Default value: In this field, you can enter a piece of text that is shown in the form field when the user accesses the form for the first time. Alternatively, you can add a variable here (see Section 3.5, “Variables”).

Placeholder: In this field, you can enter a piece of placeholder text that is displayed in the form field. This placeholder text disappears as soon as the user starts typing into the form field.

Field width: Specify how wide the *number* form field should be.

Display variant: Select one or more of the available display variants here, so as to specify how the *number* form field is displayed in the form. The variants available are specified on a per-project basis.



This option is displayed only if at least one display variant is stored in the system.

Read-only: If you check *Read-only*, the user will not be able to change the text in the form field. Use this setting if you want to enter predefined variables into this form field (see Section 3.5, “Variables”).

Required field: Check *Required field* if this form field must be filled out when completing the form. An “*” will then be added to the end of the label, marking this form field as a required field. The user will then be unable to submit the form or move to the next page (if this is a multi-page form) if they have not completed this form field properly.

Error message: An input field appears when you check the *Required field* box. Enter some text here for the error message that is displayed if the user tries to skip filling out this form field.

Autofill: You can use the *Autofill* function to improve the auto-fill functionality offered by the browser. Browsers save form data entered previously like addresses and payment details, and then offer these as suggestions for other forms with the same types of fields. To improve the quality of these suggestions, you can tell the browser about the kinds of information that are expected for a specific field. In this way, you can ensure that browsers make appropriate suggestions for auto-completing the field, which also helps the user to fill out forms faster.

Shipping or invoice address: Select “Shipping” or “Invoice” if this form field is part of a shipping address or an invoice address.

Contact type: Select an appropriate contact type here if users are expected to input a fixed-line or mobile phone number, fax or pager number, or an email address into this form field. Specifying a contact type will affect the selection offered to you for “Usage” (see below). This field is optional and can be left empty.

Usage: Specify the kinds of information entered into this form field.

If you want to stop the browser saving sensitive data and offering this as an autofill suggestion, then you can deactivate “*Autofill*”. To do so, move the slider to the left.



As of this writing, the autofill function is not supported by all web browsers. For an overview of browser compatibility, please see <https://developer.mozilla.org/en-US/docs/Web/HTML/Attributes/autocomplete>.

Validation: You can make the following settings, as required:

Error message: Enter some text here for an error message that should be displayed instead of the default error message. This is shown to the user if the form field has not been filled out according to the rule(s) you have set.

Smallest value: Specify the smallest number that the user is allowed to enter.

Largest value: Specify the largest number that the user is allowed to enter.

Integers only: Select *Integers only* if you want to prevent the user from entering decimal numbers.

Duplicating a number: Click *Duplicate number* to add a copy of this form field to your form.

Deleting a number: Click *Delete number* to delete this form field.

3.3.9. Phone number

You use the predefined *phone number* form field to add a form field to your form that only accepts a phone number as input from the user. If required, you can define criteria for this phone number that further restrict user input.

The screenshot displays the Formcentric user interface for editing a 'Phone number' field. The top navigation bar includes 'Form', 'Contact Form', and a language selector set to 'English'. The main header shows 'FORMCENTRIC' and tabs for 'Form', 'Actions', and 'Settings'. The left sidebar, titled 'Structure', shows a tree view with '1. page' and 'Phone number'. The main workspace is titled 'Edit Phone number' and contains the following configuration options:

- General:**
 - Label:** Phone number
 - Technical name:** phone_1
 - Note:** A rich text editor with a toolbar.
 - Default value:**
 - Placeholder:**
 - Field width:** A dropdown menu.
 - Read-only:** ☐
 - Required field:** ☐
 - Autofill:** ☒ (The field is locked for autofill by the browser.)
- Validation:**
 - Error message:**
 - Valid phone number types:** A dropdown menu.
 - Country:** A dropdown menu.
 - Country selection:** A dropdown menu.

At the bottom of the workspace, there are buttons for 'Add page', 'Duplicate Phone number', and 'Delete Phone number'. The footer bar contains a blue 'Save' button and a 'Cancel' button.

Figure 3.23. Phone number

Label: Enter the text of the label that is displayed next to the form field. By default, the label is placed above the form field. The text can be formatted with the help of Markdown (see Section 3.6, “Markdown”).

Technical name: Each form element that is added to a form is automatically assigned a unique name – known as the “technical name” – by Formcentric. This is necessary for technical reasons, to ensure that the form element can be properly identified and processed. The name is based on the designator for the form element and can be changed if required.



The technical name is a required field. The technical name must start with a letter and must not contain any special characters. In addition, the name must not match an identifier that is listed under Appendix A, *Reserved identifiers*. A technical name can be used only once within a form.

New from label: Alternatively, you can generate a technical name from the label. To do this, click *Generate from label*.

Note: Here you have the option of adding some text to your form field that gives the user additional information, such as instructions about filling out the field.

Default value: In this field, you can enter a piece of text that is shown in the form field when the user accesses the form for the first time. Alternatively, you can add a variable here (see Section 3.5, “Variables”).

Placeholder: In this field, you can enter a piece of placeholder text that is displayed in the form field. This placeholder text disappears as soon as the user starts typing into the form field.

Field width: Specify how wide the *phone number* form field should be.

Display variant: Select one or more of the available display variants here, so as to specify how the *phone number* form field is displayed in the form. The variants available are specified on a per-project basis.



This option is displayed only if at least one display variant is stored in the system.

Read-only: If you check *Read-only*, the user will not be able to change the text in the form field. Use this setting if you want to enter predefined variables into this form field (see Section 3.5, “Variables”).

Required field: Check *Required field* if this form field must be filled out when completing the form. An “*” will then be added to the end of the label, marking this form field as a required field. The user will then be unable to submit the form or move to the next page (if this is a multi-page form) if they have not completed this form field properly.

Error message: An input field appears when you check the *Required field* box. Enter some text here for the error message that is displayed if the user tries to skip filling out this form field.

Autofill: You can use the *Autofill* function to improve the auto-fill functionality offered by the browser. Browsers save form data entered previously like addresses and

payment details, and then offer these as suggestions for other forms with the same types of fields. To improve the quality of these suggestions, you can tell the browser about the kinds of information that are expected for a specific field. In this way, you can ensure that browsers make appropriate suggestions for auto-completing the field, which also helps the user to fill out forms faster.

Shipping or invoice address: Select “Shipping” or “Invoice” if this form field is part of a shipping address or an invoice address.

Contact type: Select an appropriate contact type here if users are expected to input a fixed-line or mobile phone number, fax or pager number, or an email address into this form field. Specifying a contact type will affect the selection offered to you for “Usage” (see below). This field is optional and can be left empty.

Usage: Specify the kinds of information entered into this form field.

If you want to stop the browser saving sensitive data and offering this as an autofill suggestion, then you can deactivate “Autofill”. To do so, move the slider to the left.



As of this writing, the autofill function is not supported by all web browsers. For an overview of browser compatibility, please see <https://developer.mozilla.org/en-US/docs/Web/HTML/Attributes/autocomplete>.

Validation: You can make the following settings, as required:

Error message: Enter some text here for an error message that should be displayed instead of the default error message. This is shown to the user if the form field has not been filled out according to the rule(s) you have set.

Valid phone number types: Select the valid phone number types from this list. The phone number entered must then match these types. If you do not select any phone number types, the phone number is not validated.

Country: Select a country here if the phone number must come from a specific country.

Country selection: If your form contains a drop-down list (see Section 3.3.4, “Drop-down list”) with a country selection, then you can select the corresponding form field here. The phone number entered must then come from the country that the user selected from that drop-down list. If both a country and a country selection have been made, then the country selection has priority.

Please note that the *Value* fields for the entries in the drop-down list must contain the valid country codes according to ISO 3166 (e.g. *DE* for Germany).

User input cannot be validated without valid country codes.

Duplicating a phone number: Click *Duplicate phone number* to add a copy of this form field to your form.

Deleting a phone number: Click *Delete phone number* to delete this form field.

3.3.10. Date

You use the predefined *date* form field to add a form field to your form that only accepts a date as input from the user. You can also specify additional requirements for the date, such as setting a date range: the date entered by the user must then be within this period.

Technical name: Each form element that is added to a form is automatically assigned a unique name – known as the “technical name” – by Formcentric. This is necessary for technical reasons, to ensure that the form element can be properly identified and processed. The name is based on the designator for the form element and can be changed if required.



The technical name is a required field. The technical name must start with a letter and must not contain any special characters. In addition, the name must not match an identifier that is listed under Appendix A, *Reserved identifiers*. A technical name can be used only once within a form.

New from label: Alternatively, you can generate a technical name from the label. To do this, click *Generate from label*.

Please note: Here you have the option of adding some text to your form field that gives the user additional information. This could be instructions about filling out the field, for example.

Default value: In this field, you can enter a piece of text that is shown in the form field when the user accesses the form for the first time. Alternatively, you can add a variable here (see Section 3.5, “Variables”).

Placeholder: In this field, you can enter a piece of placeholder text that is displayed in the form field. This placeholder text disappears as soon as the user starts typing into the form field.

Field width: Specify how wide the *Date* form field should be.

Display variant: Select one or more of the available display variants here, so as to specify how the *Date* form field is displayed in the form. The variants available are specified on a per-project basis.



This option is displayed only if at least one display variant is stored in the system.

Read-only: If you check *Read-only*, the user will not be able to change the text in the form field. Use this setting if you want to enter predefined variables into this form field (see Section 3.5, “Variables”).

Required field: Check *Required field* if this form field must be filled out when completing the form. An “*” will then be added to the end of the label, marking this form field as a required field. The user will then be unable to submit the form or move to the next page (if this is a multi-page form) if they have not completed this form field properly.

Error message: An input field appears when you check the *Required field* box. Enter some text here for the error message that is displayed if the user tries to skip filling out this form field.

Autofill: You can use the *Autofill* function to improve the auto-fill functionality offered by the browser. Browsers save form data entered previously like addresses and payment details, and then offer these as suggestions for other forms with the same types of fields. To improve the quality of these suggestions, you can tell the browser about the kinds of information that are expected for a specific field. In this way, you can ensure that browsers make appropriate suggestions for auto-completing the field, which also helps the user to fill out forms faster.

Usage: Specify the kinds of information entered into this form field.

If you want to stop the browser saving sensitive data and offering this as an autofill suggestion, then you can deactivate “*Autofill*”. To do so, move the slider to the left.



As of this writing, the autofill function is not supported by all web browsers. For an overview of browser compatibility, please see <https://developer.mozilla.org/en-US/docs/Web/HTML/Attributes/autocomplete>.

Validation: You can make the following settings, as required:

Error message: Enter some text here for an error message that should be displayed instead of the default error message. This is shown to the user if the form field has not been filled out according to the rule(s) you have set.

Date format: Specify the format in which the date must be entered.

No time restrictions: If you select *No time restrictions*, then users will be able to enter any date.

Date range: Specify a set of start/end dates: the date entered must be between these dates.

Timespan allowed: Enter values here to restrict the date entered by the user to a number of days before or after the form completion date.

Duplicating a date: Click *Duplicate date* to add a copy of this form field to your form.

Deleting a date: Click *Delete date* to delete this form field.

3.3.11. Password

You use the predefined *password* form field to add a password field to your form. Characters entered by the user are not shown but are represented by a line of dots. This gives the user a degree of privacy as they enter their password.

The screenshot displays the Formcentric 'Edit Password' configuration interface. The interface is divided into a left 'Structure' pane and a right 'Edit Password' pane. The 'Structure' pane shows a search bar and a list of pages, with '1. page' expanded to show a 'Password' field. The 'Edit Password' pane contains sections for 'General' (Label, Technical name, Note, Placeholder, Field width, Required field, Autofill), 'Validation' (Error message, Minimum length, Compare with), and password requirements (Special characters, Numbers, Lowercase and uppercase). At the bottom are 'Add page', 'Duplicate Password', and 'Delete Password' buttons. A 'Save' button is at the bottom left, and a 'Cancel' button is at the bottom right.

Figure 3.25. Password

Label: Enter the text of the label that is displayed next to the form field. By default, the label is placed above the form field. The text can be formatted with the help of Markdown (see Section 3.6, “Markdown”).

Technical name: Each form element that is added to a form is automatically assigned a unique name – known as the “technical name” – by Formcentric. This is necessary for technical reasons, to ensure that the form element can be properly identified and processed. The name is based on the designator for the form element and can be changed if required.



The technical name is a required field. The technical name must start with a letter and must not contain any special characters. In addition, the name must not match an identifier that is listed under Appendix A, *Reserved identifiers*. A technical name can be used only once within a form.

New from label: Alternatively, you can generate a technical name from the label. To do this, click *Generate from label*.

Please note: Here you have the option of adding some text to your form field that gives the user additional information. This could be instructions about how to pick a secure password, for example.

Placeholder: In this field, you can enter a piece of placeholder text that is displayed in the input field. This placeholder text disappears as soon as the user starts typing into the form field.

Field width: Specify how wide the *password* form field should be.

Display variant: Select one or more of the available display variants here, so as to specify how the *password* form field is displayed in the form. The variants available are specified on a per-project basis.



This option is displayed only if at least one display variant is stored in the system.

Required field: Check *Required field* if this form field must be filled out when completing the form. An “*” will then be added to the end of the label, marking this form field as a required field. The user will then be unable to submit the form or move to the next page (if this is a multi-page form) if they have not completed this form field properly.

Error message: An input field appears when you check the *Required field* box. Enter some text here for the error message that is displayed if the user tries to skip filling out this form field.

Autofill: You can use the *Autofill* function to improve the auto-fill functionality offered by the browser. Browsers save form data entered previously like addresses and payment details, and then offer these as suggestions for other forms with the same types of fields. To improve the quality of these suggestions, you can tell the browser about the kinds of information that are expected for a specific field. In this way, you can ensure that browsers make appropriate suggestions for auto-completing the field, which also helps the user to fill out forms faster.

Usage: Specify the kinds of information entered into this form field.

If you want to stop the browser saving sensitive data and offering this as an autofill suggestion, then you can deactivate “*Autofill*”. To do so, move the slider to the left.



As of this writing, the autofill function is not supported by all web browsers. For an overview of browser compatibility, please see <https://developer.mozilla.org/en-US/docs/Web/HTML/Attributes/autocomplete>.

Validation: You can make the following settings, as required:

Error message: Enter some text here for an error message that should be displayed instead of the default error message. This is shown to the user if the form field has not been filled out according to the rule(s) you have set.

Minimum length: Specify the minimum number of characters that must be used for the password.

Compare with: Select a second form field to compare with the input from this first form field.

The password must include: Check the relevant checkbox if the password must include special characters, numbers and/or lowercase/uppercase letters.

Duplicating a password: Click *Duplicate password* to add a copy of this form field to your form.

Deleting a password: Click *Delete password* to delete this form field.

3.3.12. Upload file

You use the *upload file* form element to add an upload area to your form that the user can use to upload one or more files. Depending on the action selected, uploaded files are either sent as an email attachment or stored in the web server’s file system.

The screenshot displays the Formcentric 'Edit Upload file' configuration page. The interface includes a top navigation bar with 'Form', 'Contact Form', and language settings. A dark blue header contains the 'FORMCENTRIC' logo and tabs for 'Form', 'Actions', and 'Settings'. The left sidebar, titled 'Structure', shows a tree view with '1. page' and a sub-item 'File'. The main configuration area is titled 'Edit Upload file' and contains the following sections:

- General:**
 - Label:** A text field containing 'File'.
 - Technical name:** A text field containing 'fileUpload_1'.
 - Note:** A large text area for additional notes.
 - Text on upload button:** A text field.
 - Options:** Three checkboxes: 'Required field', 'Multiple files', and 'Upload files automatically'.
- Validation:**
 - Specify further criteria for uploading files:**
 - Error message:** A text field.
 - Max. file size (kB):** A text field.
 - Max. number of files:** A text field.
 - Valid file types:** A dropdown menu.

At the bottom of the main area are buttons for 'Duplicate Upload file' and 'Delete Upload file'. The footer contains a blue 'Save' button and a 'Cancel' button.

Figure 3.26. Upload file

Label: Enter the text of the label that is displayed next to the form field. By default, the label is placed above the form field. The text can be formatted with the help of Markdown (see Section 3.6, “Markdown”).

Technical name: Each form element that is added to a form is automatically assigned a unique name – known as the “technical name” – by Formcentric. This is necessary for technical reasons, to ensure that the form element can be properly

identified and processed. The name is based on the designator for the form element and can be changed if required.



The technical name is a required field. The technical name must start with a letter and must not contain any special characters. In addition, the name must not match an identifier that is listed under Appendix A, *Reserved identifiers*. A technical name can be used only once within a form.

New from label: Alternatively, you can generate a technical name from the label. To do this, click *Generate from label*.

Note: Here you have the option of adding some text to your upload area that gives the user additional information. This could be information about the maximum file size allowed, for example.

Text on upload button: Enter a piece of text that should be displayed on the button.

Display variant: Select one or more of the available display variants here, so as to specify how the *upload file* form element is displayed in the form. The variants available are specified on a per-project basis.



This option is displayed only if at least one display variant is stored in the system.

Required field: Check *Required field* if at least one file must be uploaded when completing the form. An “*” will then be added to the end of the label for the upload file field, marking it as a required field. The user will then be unable to submit the form until they have uploaded a file.

Error message: An input field appears when you check the *Required field* box. Enter some text here for the error message that is displayed if the user does not upload a file.

Multiple files: Check *Multiple files* if you want to allow your user to upload more than one file.

Upload files automatically: Check *Upload files automatically* if files should be uploaded automatically as soon as the user has selected them. If this box is not checked, then selected files are uploaded only when the user actually clicks the *Upload* field.

Validation: You can make the following settings, as required:

Error message: Enter some text here for an error message that should be displayed instead of the default error message. This is shown to the user if the form field has not been filled out according to the rule(s) you have set.

Max. file size (kB): Specify the maximum file size here. The default maximum file size is set at 50 MB.



We recommend that you always limit the file size. Otherwise, you may run into problems with data traffic handling if several users attempt to upload large files at the same time.

Maximum no. of files: Use this to specify how many files the user can upload simultaneously.

Permitted file types: Specify which kinds of files the user is allowed to upload. If you make no selections here, then any file type is allowed.

Duplicating an upload file field: Click *Duplicate upload file* to add a copy of this form field to your form.

Deleting an upload file field: Click *Delete upload file* to delete this form field.

3.3.13. Hidden field

A *hidden field* is a form element that is not displayed on the actual form. Use hidden fields to access additional information about your user.

If a hidden field is assigned the variable `${serverDate}`, for example, this lets you find out the time and the date when the form was accessed.

Information contained in hidden fields is sent together with the values from the other form fields when the form is submitted.

The screenshot shows the 'Edit contents' window for a 'Contact Form'. The top navigation bar includes 'FORMCENTRIC', 'Form', 'Actions', and 'Settings'. The 'Structure' panel on the left shows a search bar and a list of pages, including '1. Page' with a 'Current date' field. The main 'Edit Hidden field' panel has a 'General' section with the following fields: 'Label' (Current date), 'Technical name' (hiddenField_1), and 'Value'. There is also an 'Autofill' toggle and several dropdown menus for 'Mode', 'Contact type', and 'Usage'. At the bottom, there are buttons for 'Save', 'Cancel', 'Duplicate Hidden field', and 'Delete Hidden field'.

Figure 3.27. Hidden field

Label: Enter a piece of descriptive text that will be sent together with the value from the hidden field. This helps you to distinguish one data item from another when checking your submissions. The text can be formatted with the help of Markdown (see Section 3.6, “Markdown”).

Technical name: Each form element that is added to a form is automatically assigned a unique name – known as the “technical name” – by Formcentric. This is necessary for technical reasons, to ensure that the form element can be properly identified and processed. The name is based on the designator for the form element and can be changed if required.



The technical name is a required field. The technical name must start with a letter and must not contain any special characters. In addition, the name must not match an identifier that is listed under Appendix A, *Reserved identifiers*. A technical name can be used only once within a form.

New from label: Alternatively, you can generate a technical name from the label. To do this, click *Generate from label*.

Value: Enter a value for the information that you want to receive from your hidden field – such as the `${serverDate}` variable, for example. You can add one or more variables, depending on the information that you need (see Section 3.5, “Variables”).

Data source: If a data source is defined for this form element, the *data source* drop-down list is displayed. Select a data source here that determines the value of the hidden field dynamically at runtime (see also Section 3.4, “Data sources”).

Autofill: You can use the *Autofill* function to improve the auto-fill functionality offered by the browser. Browsers save form data entered previously like addresses and payment details, and then offer these as suggestions for other forms with the same types of fields. To improve the quality of these suggestions, you can tell the browser about the kinds of information that are expected for a specific field. In this way, you can ensure that browsers make appropriate suggestions for auto-completing the field, which also helps the user to fill out forms faster.

Shipping or invoice address: Select “Shipping” or “Invoice” if this form field is part of a shipping address or an invoice address.

Contact type: Select an appropriate contact type here if users are expected to input a fixed-line or mobile phone number, fax or pager number, or an email address into this form field. Specifying a contact type will affect the selection offered to you for “Usage” (see below). This field is optional and can be left empty.

Usage: Specify the kinds of information entered into this form field.

If you want to stop the browser saving sensitive data and offering this as an autofill suggestion, then you can deactivate “*Autofill*”. To do so, move the slider to the left.



As of this writing, the autofill function is not supported by all web browsers. For an overview of browser compatibility, please see <https://developer.mozilla.org/en-US/docs/Web/HTML/Attributes/autocomplete>.

Duplicating a hidden field: Click *Duplicate hidden field* to add a copy of this form element to your form.

Deleting a hidden field: Click *Delete hidden field* to delete this form element.

3.3.14. Calculated value

You use the *calculated value* form element to calculate a value from the input that the user enters into the form. The value is calculated using JavaScript code.

Figure 3.28. Calculated value

Label: Enter a piece of text to use as the label for the value. This label will then be shown in the summary, for example. The text can be formatted with the help of Markdown (see Section 3.6, “Markdown”).

Technical name: Each form element that is added to a form is automatically assigned a unique name – known as the “technical name” – by Formcentric. This is necessary for technical reasons, to ensure that the form element can be properly identified and processed. The name is based on the designator for the form element and can be changed if required.



The technical name is a required field. The technical name must start with a letter and must not contain any special characters. In addition, the name must not match an identifier that is listed under Appendix A, *Reserved identifiers*. A technical name can be used only once within a form.

New from label: Alternatively, you can generate a technical name from the label. To do this, click *Generate from label*.

JavaScript: Enter the JavaScript code for calculating the value inside the brackets for the JavaScript “calculate()” function. This JavaScript calculate() function is executed whenever the user moves from one page to another in the form or clicks the submit button.

If you would like to calculate the age of a person for a given date of birth – so as to then be able to use this in a condition, for example – then you can achieve this with the following function. In your form, include an input field (technical name: *birthdate*) in which users are asked to enter their date of birth.

```
function calculate() { return parseAge("yyyy/MM/dd", birthdate); }
```

Display variant: Select one or more of the available display variants here, so as to specify how the *calculated value* form element is displayed in the form. The variants available are specified on a per-project basis.



This option is displayed only if at least one display variant is stored in the system.

Show value in form: Check *Show value in form* to have the result of executing the JavaScript code, i.e. the calculated value, displayed in the form.

Recalculate value in browser immediately: If you activate *Recalculate value in browser immediately*, the value is calculated in real time. The value is then recalculated whenever the user enters input into a form field that is relevant for the calculation made by the JavaScript code. If you do not check this box, then the value is not (re)calculated until the user moves to another page in the form or clicks the submit button.

Tip: Check *Recalculate value in browser immediately* if you are linking the value to a condition. This ensures that the condition will work properly.

Duplicating a calculated value: Click *Duplicate calculated value* to add a copy of this form element to your form.

Deleting a calculated value: Click *Delete calculated value* to delete this form element.

3.3.15. Captcha

You use this form element to add a “CAPTCHA” (acronym for “Completely Automated Public Turing test to tell Computers and Humans Apart”) to the form. Captchas are used to ensure that the form is being filled out by a human and not by an automated system.

Figure 3.29. Captcha

Label: Enter the text of the label that is displayed next to the captcha. The text can be formatted with the help of Markdown (see Section 3.6, “Markdown”).

Technical name: Each form element that is added to a form is automatically assigned a unique name – known as the “technical name” – by Formcentric. This is necessary for technical reasons, to ensure that the form element can be properly identified and processed. The name is based on the designator for the form element and can be changed if required.



The technical name is a required field. The technical name must start with a letter and must not contain any special characters. In addition, the name must not match an identifier that is listed under Appendix A, *Reserved identifiers*. A technical name can be used only once within a form.

New from label: Alternatively, you can generate a technical name from the label. To do this, click *Generate from label*.

Please note: Here you have the option of adding some text to your form field that gives the user additional information. This could be information about why captchas are being used, for example.

Field width: Specify how wide the captcha should be.

Display variant: Select one or more of the available display variants here, so as to specify how the *captcha* is displayed in the form. The variants available are specified on a per-project basis.



This option is displayed only if at least one display variant is stored in the system.

Error message: Enter some text here for an error message that should be displayed instead of the default error message.

Duplicating a captcha: Click *Duplicate captcha* to add a copy of this form element to your form.

Deleting a captcha: Click *Delete captcha* to delete this form element.

3.3.16. Condition

You use the *condition* form element to make dynamic changes to the state of individual form elements based on user input. As one example, you can use this element to ensure that a user only sees relevant form fields while hiding any fields that are not needed for this user. This can also be used to control other kinds of states: optional fields can be changed to required fields, active elements can be deactivated and fields can be set as read-only.



Remember that **implicit conditions** always apply automatically. If you have a form element whose state is changed when the condition is fulfilled, then the **opposite state** – i.e. the state that is opposite to the state specified in the condition – always applies as the initial state.

If a text field should be displayed if the user checks a box, for example, then this text field is hidden by default when the form is first accessed. The text field will only appear when the box is checked and the condition is therefore fulfilled. Accordingly, you do not need to set up a separate condition for the opposite scenario.

Figure 3.30. Condition

Name: Enter a name for the condition to help you identify it later. The name is shown only in the form tree.

If: Specify the trigger for the condition so that the outcome takes place as specified in the *Then* section.

From *Form element*, select the field that you want to include in the condition.

You use the *Operator* column to specify the logical operator for the condition. This is then applied to the comparison value specified in the *Value* column. The operators offered to you here will depend on the field content and whether the field is a selection field or a text input field.

If...

Specify the trigger.

Form element
I would like to receive information by:

Operator

Value

Selected

Not selected

Is empty

Is not empty

Fewer selected than

In the *Value* column, enter the comparison value or – in the case of a drop-down list – select the corresponding option.

If...

Form element
I would like to receive information via

Operator
Select...

Value

post post

email email

+ Additional trigger

If you define multiple triggers, then you need to specify whether one or all triggers must be activated for the outcome to happen specified in *Then*.

Then: Under *Then*, you specify which action is carried out when the criterion specified under *If* has been met.

In *Form element*, select the field that will be referenced by the trigger that you have specified in the *If* step.

Then...

Specify the outcome.

Form element

Enter your question (enterYour)

Salutation (salutation)

First name (firstName)

Last name (lastName)

Email address (emailAddress)

In *State*, select the outcome that should happen when the criteria for the trigger are fulfilled. You can choose from several states here, depending on the form element selected.

Then...

Specify the outcome.

Form element
Email address

State
Hidden
Visible
Activated
Deactivated
Required field

While the condition remains unfulfilled, the form element will always be in the opposite state.



You never need to set up a separate condition for the opposite scenario! By default, the opposite logic always applies to the form element until the condition is fulfilled. If a form element is to be shown when a specific option is selected from a drop-down list, for example, then this form element will be hidden by default. The element is only revealed when the user selects the specified option and thereby fulfils the condition.

Extra conditions for hiding the element when other options are selected are therefore not necessary. Multiple conditions aimed at achieving the same state can overlap or contradict one another, which can have unexpected effects on your form's behaviour. Accordingly, you only need to define the state you require in the event of the condition being fulfilled. While the condition remains unfulfilled, the opposite logic will automatically apply.



Please note: You can only specify the states *Optional/Required field* and *Editable/Read-only* for form elements that do not have their *Required field* or *Read-only* checkboxes checked.

Hidden form elements are also hidden on the summary pages and in any emails that are sent. Values from deactivated form elements are ignored.

Duplicating a condition: Click *Duplicate condition* to add a copy of this form element to your form.

Delete condition: Click *Delete condition* to delete this form element.

3.3.17. Paragraph

You use the *paragraph* form element to add a block of text anywhere in your form. This is a read-only piece of text that cannot be changed by the user. This can be used to offer advice or give explanations, for example.

Figure 3.31. Paragraph

Technical name: Each form element that is added to a form is automatically assigned a unique name – known as the “technical name” – by Formcentric. This is necessary for technical reasons, to ensure that the form element can be properly identified and processed. The name is based on the designator for the form element and can be changed if required.



The technical name is a required field. The technical name must start with a letter and must not contain any special characters. In addition, the name must not match an identifier that is listed under Appendix A, *Reserved identifiers*. A technical name can be used only once within a form.

Text: Enter a piece of text here to be displayed in your form. You can use Section 3.6, “Markdown” to format the text.

Field width: Specify how wide the paragraph should be.

Display variant: Select one or more of the available display variants here, so as to specify how the paragraph is displayed in the form. The variants available are specified on a per-project basis.



This option is displayed only if at least one display variant is stored in the system.

Duplicating a paragraph: Click *Duplicate paragraph* to add a copy of this form element to your form.

Deleting a paragraph: Click *Delete paragraph* to delete this form element.

3.3.18. Button

You use the *button* form element to include a JavaScript action in your form. This action is executed when the user clicks the button.




Figure 3.32. Button

Label: Enter a piece of text to be displayed on the button.

Technical name: Each form element that is added to a form is automatically assigned a unique name – known as the “technical name” – by Formcentric. This is necessary for technical reasons, to ensure that the form element can be properly identified and processed. The name is based on the designator for the form element and can be changed if required.



The technical name is a required field. The technical name must start with a letter and must not contain any special characters. In addition, the name must not match an identifier that is listed under Appendix A, *Reserved identifiers*. A technical name can be used only once within a form.

New from label: Alternatively, you can generate a technical name from the label. To do this, click *Generate from label*.

Note: Here you have the option of adding some text to your button that gives the user additional information.

OnClick: To specify what should happen when the button is clicked, use the event handler *onclick* here, so as to respond to the click with JavaScript.

Display variant: Select one or more of the available display variants here, so as to specify how the *button* is displayed in the form. The variants available are specified on a per-project basis in the paragraph style sheet.



This option is displayed only if at least one display variant is stored in the system.

Duplicating a button: Click Duplicate button to add a copy of this form element to your form.

Deleting a button: Click *Delete button* to delete this form element.

3.3.19. Layout

You use the *layout* form element to combine multiple form elements into a single group. You can then assign a display variant to this group, so as to create a two-column layout, for example.

Figure 3.33. Layout

Layout: You use this field to select the available display variants and therefore specify how the group should be displayed within your form. The variants available are specified on a per-project basis.

Label: You can use this field to enter an optional piece of label text. Whether (and where) the label is displayed in the form depends on the layout selected.

Duplicating a layout: Click *Duplicate layout* to add a copy of this form element to your form.

Deleting a layout: Click *Delete layout* to delete this form element.

3.3.20. Summary

The *summary* form element presents an overview of all of the items of data that the user has entered into the form. You can use the summary to create a “Check your input” page as the last page in your form, for example, which lists all of the input that the user has entered. The user can then check the accuracy of the data here and correct their input as required. The user can use the “Back” button to go to the relevant form page and make any necessary changes.

The screenshot shows the 'Edit Summary' configuration screen in Formcentric. On the left, a 'Structure' pane lists form elements: 'Your message', 'details', 'Email address', 'Salutation' (selected), 'First name', 'Last name', 'Street and number', 'Postcode', 'City', 'Your customer number', 'Your order number', and 'Summary' (highlighted). The main area is titled 'Edit Summary' and contains a 'Label' field with the text 'Summary'. Below this is a section 'Form elements' with the instruction 'Select the form elements that you want to have displayed in the summary.' and a '+ Edit form elements' button. A list of form elements is shown with checkboxes and trash icons: 'Email address' (email_1), 'First name' (shortText_1), 'Last name' (shortText_2), 'Street and number' (shortText_3), 'Postcode' (inputField_1), 'City' (shortText_4), 'Your customer number' (number_1), 'Your order number' (number_2), and 'Your message' (longText_1). A 'Hide empty fields' checkbox is at the bottom left of this list. At the bottom of the interface are buttons for 'Add page', 'Duplicate Summary', 'Delete Summary', 'Save', and 'Cancel'.

Figure 3.34. Summary

Label: Enter the text of the label that is displayed together with the summary. The text can be formatted with the help of Markdown (see Section 3.6, “Markdown”).

Select form elements: Click *Select form elements* and choose the form elements that you want to have displayed in the summary. In the summary, the form elements will be displayed in the order in which they are listed here. If you want to use a different order, you can use drag-and-drop to rearrange your form elements. Use *Select all* to select all of the elements in one go. Use *Unselect all* to cancel this selection. Click the green button at the bottom right to confirm your selection.




Figure 3.35. Selecting form elements



If you select a form element for the summary and then change its technical name later, this element is automatically removed from the summary. Accordingly, you will need to select the form element again to have it included in the summary.

If you make no selections in this list, then the user is simply shown the values for all form elements that would normally be included in the summary. If you want to have form elements of the *password* or *hidden field* type displayed, then you will need to select these explicitly.



Paragraph elements can be included in the summary if you assign a name to the element beforehand.

Hide empty fields: If you check *Hide empty fields*, then the summary will only show the form fields where the user has entered something into the field or selected something from the field. Empty form fields will not be shown.

Duplicating a summary: Click *Duplicate summary* to add a copy of this form element to your form.

Deleting a summary: Click *Delete summary* to delete this form element.

3.3.21. Fieldset

You use the fieldset form element to group multiple form elements together under a single heading.

Figure 3.36. Fieldset

Label: Enter the text of the label that is displayed next to the fieldset. The text can be formatted with the help of Markdown (see Section 3.6, “Markdown”).

Technical name: Each form element that is added to a form is automatically assigned a unique name – known as the “technical name” – by Formcentric. This is necessary for technical reasons, to ensure that the form element can be properly identified and processed. The name is based on the designator for the form element and can be changed if required.



The technical name is a required field. The technical name must start with a letter and must not contain any special characters. In addition, the name must not match an identifier that is listed under Appendix A, *Reserved identifiers*. A technical name can be used only once within a form.

New from label: Alternatively, you can generate a technical name from the label. To do this, click *Generate from label*.

Duplicate fieldset: Click Duplicate button to add a copy of this form element to your form.

Delete fieldset: Click *Delete button* to delete this form element.

3.3.22. Image

The image form element offers you countless ways to make your form more individual. Adding your company logo or product photos are just two examples of how to do this. And you can also add imagery to give your form a certain style.

The screenshot displays the 'Edit Image' configuration screen within the Formcentric application. The top navigation bar includes 'FORMCENTRIC', 'Form', 'Actions', and 'Settings'. The left sidebar shows the 'Structure' of the form, indicating '1 page' and a single element named 'image_1'. The main panel is titled 'Edit Image' and contains a 'General' section with the following fields: 'Technical name' (pre-filled with 'image_1'), a 'Select image' button, 'Alternative text', and 'Field width'. At the bottom of the panel are 'Duplicate Image' and 'Delete Image' options. The bottom of the screen features a blue 'Save' button and a 'Cancel' button.

Figure 3.37. Image

Technical name: Each form element that is added to a form is automatically assigned a unique name – known as the “technical name” – by Formcentric. This is necessary for technical reasons, to ensure that the form element can be properly identified and processed. The name is based on the designator for the form element and can be changed if required.



The technical name is a required field. The technical name must start with a letter and must not contain any special characters. In addition, the name must not match an identifier that is listed under Appendix A, *Reserved identifiers*. A technical name can be used only once within a form.

Select image: Select the image that you want to add to your form. You can select an image from the FirstSpirit Media Store.

Alternative text: Enter a piece of alternative text that describes the image. This text is shown if the image itself cannot be displayed and will be read out if a screen reader is being used.

Field width: Specify how wide the image should be.

Display variant: Select one or more of the available display variants here, so as to specify how the image is displayed in the form. The variants available are specified on a per-project basis.



This option is displayed only if at least one display variant is stored in the system.

Duplicate image: Click *Duplicate image* to add a copy of this form element to your form.

Delete image: Click *Delete image* to delete this form element.

3.4. Data sources

A typical requirement when putting together forms is creating lists that offer the selection of a large number of options or a range of variable selection options. To help with this process, Formcentric provides data sources that let you create selection lists or input fields at runtime that are fed with data from external systems. This data can be static, dynamic or user-specific.

When selecting a data source for a form field, you also have the option of specifying additional configuration parameters. These parameters let you set the language for the data source output, for example. The configuration parameters available will depend on the specific data source that you select.

Please note: these data sources are not FirstSpirit data sources but web services.

Data sources provided as standard are listed below, together with their configuration parameters:

3.4.1. Country names

This data source creates a list of country names. By specifying a region, the country data included in the list can be restricted to a geographical or organisational subset.

Key	Description
Chars	The minimum number of characters that users must enter into the field before an autocomplete entry is shown.
lang	Language in which the country names should be output in the list. The following languages are supported: • <i>de</i> – German • <i>en</i> – English • <i>fr</i> – French • <i>es</i> – Spanish

Key	Description
	• <i>it</i> – Italian • <i>ru</i> – Russian
region	Use this to restrict the autocomplete to a specific region: • <i>global</i> – all countries (default setting) • <i>emea</i> – Europe, Middle East and Africa • <i>apac</i> – Asia-Pacific • <i>australia</i> – Australasia • <i>north-america</i> – North America • <i>south-america</i> – South America • <i>central-america</i> – Central America • <i>asia</i> – Asia • <i>africa</i> – Africa • <i>oceania</i> – Oceania You can select the following regions when using the postcode validator: • <i>europe</i> – European countries • <i>eu</i> – Member states of the European Union • <i>dach</i> – Austria, Germany and Switzerland • <i>efta</i> – Member states of the European Free Trade Association • <i>zip</i> – All countries whose postcodes (zip codes) can be validated by the postcode validator

3.4.2. Weekdays

This data source creates a list of the days of the week. You can use the *first* key to specify which weekday appears first in the list.

Key	Description
first	• <i>mon</i> – Monday • <i>tue</i> – Tuesday

Key	Description
	• <i>wed</i> – Wednesday • <i>thu</i> – Thursday • <i>fri</i> – Friday • <i>sat</i> – Saturday • <i>sun</i> – Sunday

3.4.3. Months

This data source creates a list of months.

It is possible to preselect a month in a *single choice*, *multiple choice*, or *drop-down list*.

To do this, the corresponding parameter for the desired month is entered in the *Preselection* field: January (*jan*), February (*feb*), March (*mar*), April (*apr*), May (*may*), June (*jun*), July (*jul*), August (*aug*), September (*sep*), October (*oct*), November (*nov*), December (*dec*).

3.4.4. Year numbers

This data source creates a list of year numbers. Years must not be more than 100 years apart. The keys *from* and *to* can be used to limit the period for the list of results.

3.5. Variables

You can draw on a range of variables when setting default values for input fields. These variables are replaced with a value when the form is displayed. As one example, you can set a field to have the current date as a default value by entering the variable `${clientDate}` into the field's default value setting. Variables must always be specified using the format `${name-of-the-variable}`.

All variables can be combined with additional text or other variables. The following variables are available to you as standard.

Variable	Description
date	The date, in the time zone UTC±0, on which the user completed the form. The output format is determined by the browser language configured by the user (example: UK English: 30/03/2014).
time	The time, in the time zone UTC±0, at which the user completed the form. The output format is determined by the browser language configured by the user (example: UK English = 18:36).
serverDate	The date, in the server's time zone, on which the user completed the form. The date references the server time zone. The output format is

Variable	Description
	determined by the browser language configured by the user (example: UK English: 30/05/2013).
serverTime	The time, in the server's time zone, at which the user completed the form. The time references the server time zone. The output format is determined by the browser language configured by the user (example: UK English = 17:33).
clientDate	The date, in the user's time zone, on which the user completed the form. The output format is determined by the browser language configured by the user (example: UK English: 30/05/2013).
clientTime	The time, in the client's time zone, at which the user completed the form. The output format is determined by the browser language configured by the user (example: UK English = 17:33).
timezone	The time zone that the user has configured for their browser (example: Europe/London).
language	The language configured for the user's browser. This is given in the form of the country code (de, en, etc.).
ip	The IP address assigned to the user's computer by their provider.
remoteUser	Name with which the user logged in to your website. Note: This variable is available only if the login was handled by the deployed Application Server.
principal	Name of the authenticated user (from the principal object). Note: This variable is available only if the login was handled by the deployed Application Server or JAAS is being used.
userAgent	Identification string supplied by the user's browser.
referrer	The URL used to access the web page containing the form (also known as the referrer page or the history page in browser jargon). A relative or absolute URL is given as the value.

As an example, if you want to use the date and time to set a default value for a field, then you can achieve this by entering the following in the *Value* field:

Input: `${clientDate} ${clientTime}`

Output: `30/03/2014 18:36`

3.6. Markdown

Markdown is a simple mark-up language that you can use to add formatting and links to pieces of plain text. Markdown is available as standard in the following areas:

- Paragraph

- Note text
- Confirmation texts and intermediate-page texts for double opt-in
- Labels of all input fields, including captcha fields and calculated values
- Labels of the individual options in radio button and checkbox groups (but not in selection lists/comboboxes)
- Labels of field groups (fieldset legends)
- Headings of form pages and page breaks
- Heading and field labels in the summary

In multi-line locations (e.g. paragraph, note text, confirmation text), all Markdown is available, including headings, lists and paragraphs. In single-line locations (e.g. labels, options, fieldset legends, page headings), only inline markup such as bold, italic, strikethrough, inline code and links is evaluated; block markup such as headings or lists is not permitted there.

Examples of common kinds of Markdown formatting are shown in the following list:

Bold

Example for text in **bold type**

→ Example for text in **bold type**

Italics

Example for text in *italic type*

→ Example for text in *italic type*

Strikethrough

Example for ~~strikethrough~~ text

→ Example for ~~strikethrough~~ text

Ordered lists

1. Element 1
2. Element 2

1. Element 1

2. Element 2

Bulleted lists

* Element 1
* Element 2

• Element 1

• Element 2

Headings

Heading level 1

```
## Heading level 2
### Heading level 3
```

Heading level 1

Heading level 2

Heading level 3

Links

```
[Link text](http://sample-url.com){param1=value1,...}
```

→ Link text

For full details of the formatting options available with Markdown, please visit <https://commonmark.org/>.

4. Actions screen

On the *Actions* screen, you specify how the data entered by the user should be processed. Various actions are available to you, which you can add to your form either individually or as combinations.



Please note that not all actions are available in the FirstSpirit Cloud (see Section 1.1, “Note on feature differences”).

If you want to send the data that has been entered as an email, for example, you simply select the *send as email* action.

If there is no condition present that would prevent the action being executed, then the action is executed when the user clicks the submit button. For multi-page forms, the submit button is located on the last page of the form.

On the *Actions* screen, click the green plus sign in the *Structure* area. A dialog opens, listing all of the available actions. Click an action to add it to the form. You edit the properties for the actions on the right-hand side.




Figure 4.1. Adding an action

The following section describes all of the actions in detail.

4.1. Send as email

The *send as email* action collects all of the data entered into the form and sends it as an email attachment to any number of recipients.

The screenshot displays the 'Edit Send email' configuration window within the Formcentral application. The interface is divided into a left sidebar and a main configuration area. The sidebar, titled 'Structure', shows a tree view with 'Actions' expanded, containing a 'Send email' action. The main area is titled 'Edit Send email' and contains several sections: 'General' with a 'Confirmation' text field; 'Recipient and sender' with fields for 'Recipient email address' (pre-filled with 'info@formcentric.com'), 'CC', 'BCC', 'Sender name', 'Sender email address' (pre-filled with 'contact@formcentric.com'), and 'Send replies to'; and 'Content and format' with a 'Subject' field (pre-filled with 'Contact details') and a 'Message' text area. Each field has a help icon. At the bottom of the main area are 'Duplicate Send email' and 'Delete Send email' buttons. The bottom of the window features a blue 'Save' button and a 'Cancel' button.

Figure 4.2. Send as email action

4.1.1. General

Confirmation: Enter the confirmation message that is shown to the user on the web page after the form has been submitted.

4.1.2. Recipient and sender

Recipient email address: Enter one or more comma-separated email addresses to which the data entered by the user will be sent.

CC: Enter one or more comma-separated email addresses to which a copy of the data entered by the user will be sent.

BCC: Enter one or more comma-separated email addresses to which a blind copy of the data entered by the user will be sent. These email addresses are not visible to other recipients.

Sender name: Enter the name to be displayed as the sender.

Sender email address : Enter the email address to be used as the sender.

Reply to: If answers to the email from this action should be sent to an address that is different to the sender email address, then you can enter this email address here. Use commas to separate multiple email addresses.

4.1.3. Content and format

Subject: Enter the subject here that is displayed to the user when they receive the mail.

Message: Enter a piece of text to be added to the body of the email, in addition to the form data.

Select form elements: Click *Select form elements*. A dialog field appears. Select the form elements that you want to have displayed in the mail. Use *Select all* to select all of the elements in one go. Use *Unselect all* to cancel this selection. If required, you can use drag-and-drop to change the order of the selected form elements. Click the green button at the bottom right to confirm your selection.

If you do not select anything here, then the email sent contains only the message text specified.

Confirm your selection to close the dialog field. You can now see the form elements that you have selected in the editing area. You can click the recycle bin on the right to delete individual form elements from your selection.

Email format: This field lets you specify whether the email should be sent in HTML format or as a plain text message.

Format	Description
HTML	Creates an HTML mail with the specified message text and the selected form values.

Format	Description
	The form values are added automatically as a simple list (label : value) at the end of the message text.
Text	Creates a plain text mail with the specified message text and the selected form values. The form values are added automatically as a simple list (label : value) at the end of the message text.
FreeMarker (text)	Creates a plain text email. When this format option is selected, the message text is interpreted and executed as a FreeMarker template. With this format option, the form values must be added manually to the message text.
FreeMarker (HTML)	Creates an HTML email. When this format option is selected, the message text is interpreted and executed as a FreeMarker template. With this format option, the HTML code and form values must be added manually to the message text.

4.1.4. Condition

Add condition: Use this field to specify the user input for which the action should be executed/not be executed. To do this, proceed as described in Section 3.3.16, “Condition”.

If you define multiple triggers, then you need to specify whether only one or all triggers must be fulfilled in order for the action to be triggered/not be triggered.

4.2. Formcentric Analytics

Use the *Formcentric Analytics* action if you want to store and analyse the form data with the help of Formcentric Analytics.

The screenshot displays the 'Edit contents' window for a 'Contact Form'. The top navigation bar includes 'FORMCENTRIC', 'Form', 'Actions', and 'Settings'. The 'Formcentric Analytics' action is highlighted in the 'Structure' pane. The 'Edit Formcentric Analytics' panel on the right contains a 'General' section with a 'Confirmation' text field and a 'Conditions' toggle. The 'Save' button is highlighted in blue at the bottom left.

Figure 4.3. Formcentric Analytics action

Confirmation: Enter the confirmation message that is shown to the user on the web page after the form has been submitted. You can use Section 3.6, “Markdown” to format the text.

Add condition: Use this field to specify the user input for which the action should be executed/not be executed. To do this, proceed as described in Section 3.3.16, “Condition”.

If you define multiple triggers, then you need to specify whether only one or all triggers must be fulfilled in order for the action to be triggered/not be triggered.



You can test the action while you are still editing the form and then use Formcentric Analytics to view the entries submitted. However, please note that these entries will be removed once you have finished editing the form. Entries from previous versions of the form are not deleted, of course.

4.3. Forward to

Use the *forward to* action if you want to forward the user to a different page after the form has been submitted. You can reference an external address or a FirstSpirit page.



Please note that actions are executed in the order in which they are added. The *Forward to* action must always be placed last.

The screenshot shows the 'Edit contents' window for a 'Contact Form'. The top navigation bar includes 'FORMCENTRIC', 'Form', 'Actions', and 'Settings'. The 'Structure' panel on the left shows a tree view with 'Actions' expanded, containing a 'Forward to' action. The main 'Edit Forward to' panel has a 'General' section with the following fields: 'Forward to external page' (with a 'Choose' button and a text input containing 'https://formcentric.com'), 'Delay in seconds', and 'Confirmation'. Below these is a 'Condition' toggle switch. At the bottom of the main panel are 'Duplicate Forward to' and 'Delete Forward to' buttons. The bottom of the window has a blue 'Save' button and a 'Cancel' button.

Figure 4.4. Forward to action

Select: If you want to forward the user to a FirstSpirit page after submitting the form, then you can specify the corresponding document here. To do this, select a page from the FirstSpirit content management system.

Forward to external page: If you want to forward the user to an external website after submitting the form, then you can specify the URL for the corresponding website here. You can also use Formcentric variables (see Section 3.5, “Variables”).

Delay in seconds: Specify how long to wait in seconds before forwarding the user to the target address.

Confirmation: Enter the confirmation message that is shown to the user on the web page after the form has been submitted. Apart from the form data, the variables `_url` and `_delay` are also available, which can be used to display the target address or the delay time.

Add condition: Use this field to specify the user input for which the action should be executed/not be executed. To do this, proceed as described in Section 3.3.16, “Condition”.

If you define multiple triggers, then you need to specify whether only one or all triggers must be fulfilled in order for the action to be triggered/not be triggered.

4.4. Media Management

This action stores uploaded files in the FirstSpirit Media Management.

Figure 4.5. Media Management

Add mapping: To add a new assignment to the list, click *Add assignment*.

A list is then shown, from which you can select the file input element that you wish to include in the assignment.

Click *Select a directory* to open a selection popup: from this popup, select a directory from Media Management into which the uploaded file from the form should be saved.

The screenshot shows a 'Select reference' dialog box. It has a title bar with a question mark and a close button. Inside the dialog, there's a search bar with the text 'Mithras Energy' and a search icon. Below the search bar, there's a message that says 'No element has been selected'. At the bottom of the dialog, there are two buttons: 'Select reference' and 'Close'.

Comment: The comment that should be added to the file when it is saved. This comment is then visible in the version history and the media record description.

Confirmation: The confirmation message that is shown to the user on the web page after the form has been submitted.

Release stored data: If you check this box, the stored media record is automatically released in the FirstSpirit server.

Add condition: Use this field to specify the user input for which the action should be executed/not be executed. To do this, proceed as described in Section 3.3.16, "Condition".

If you define multiple triggers, then you need to specify whether only one or all triggers must be fulfilled in order for the action to be triggered/not be triggered.

4.5. Data source

This action saves the form data in a FirstSpirit data source.

The screenshot shows the 'Edit contents' window for a 'Contact Form'. The top navigation bar includes 'Form', 'Actions', and 'Settings'. The 'Edit Data source' panel is active, showing the 'General' tab. On the left, a 'Structure' pane shows a tree with 'Actions' containing a 'Data source' item. The main configuration area includes:

- Schema:** A dropdown menu set to 'Products'.
- Table:** A dropdown menu set to 'Contacts'.
- Form field:** Two dropdown menus, 'First name' and 'Last name'.
- Data source field:** Two dropdown menus, 'Firstname' and 'Lastname', each with a delete icon.
- Add mapping:** A button to add new field mappings.
- Comment:** A text input field.
- Confirmation:** A larger text area for additional notes.
- Approve stored data:** A checkbox.
- Actions:** 'Duplicate Data source' and 'Delete Data source' buttons at the bottom right.

At the bottom of the window are 'Save' and 'Cancel' buttons.

Figure 4.6. Data source

Schema: The schema in which the data source table is located.

Table: The data source table.

Assignment: The list of assignments between the form field and the data source.

To add a new assignment to the list, click *Add assignment* in the assignment field.

This close-up shows the 'General' section of the configuration. It contains the 'Schema' dropdown (set to 'Products') and the 'Table' dropdown (set to 'Contacts'). Below these is the 'Add mapping' button.

This opens a drop-down menu, from which you can select the input element that you wish to include in the list.

Form field	Data source field
Form field	Data source field
inputfield First name	
inputfield Last name	

In the *Data source field* column, you can select a field from the data source into which the value from the form should be saved. The select field displays only the kinds of data source fields that are compatible with the type of the form field selected in the first column.

Form field	Data source field
Form field	Data source field
First name	Firstname
	Lastname
	Mail
	Phone
	Salutation_DE

Comment: The comment that should be added to the data record when it is saved. This comment is then visible in the record's version history.

Confirmation: The confirmation message that is shown to the user on the web page after the form has been submitted.

Release stored data: If you check this box, the stored data record is automatically released in the FirstSpirit server.

Add condition: Use this field to specify the user input for which the action should be executed/not be executed. To do this, proceed as described in Section 3.3.16, "Condition".

If you define multiple triggers, then you need to specify whether only one or all triggers must be fulfilled in order for the action to be triggered/not be triggered.

4.6. PDF

The PDF action lets you fill a PDF document containing interactive or editable form fields with the form data from your web form. This means the user can then download a PDF file containing their data.

The screenshot shows the 'Edit contents' window for a 'Contact Form'. The top navigation bar includes 'FORMCENTRIC', 'Form', 'Actions', and 'Settings'. The left sidebar has 'Structure' and 'Edit PDF' tabs. The 'Edit PDF' tab is selected, showing a 'General' configuration panel. This panel includes a PDF preview area, a title 'OoPdfFormExample', buttons for 'Replace PDF' and 'Delete PDF', an 'Add mapping' button, a checkbox for 'Protect assigned PDF form fields', a 'Confirmation' text field, a 'Link text' text field, and a 'Conditions' section with an 'Add condition' button. At the bottom of the panel are 'Duplicate PDF' and 'Delete PDF' buttons. The bottom of the window features a large blue 'Save' button and a 'Cancel' button.

Figure 4.7. PDF action

Select PDF: Select the PDF template that has been prepared for filling out. You can then map the PDF to your web form.

Add mapping: Once you have stored a PDF document, you then need to map the form elements from the Formcentric web form to the form elements in the PDF document.

Protect assigned PDF form fields: Check this check box to specify that the data items mapped to the PDF form are read-only and cannot be edited.

Confirmation: Enter the confirmation message that is shown to the user on the web page after the form has been submitted.

Link text: Enter the text for the download link, which the user can click to download the generated PDF document. Leave this field empty if the PDF filename should be used as the link text.

Add condition: Use this field to specify the user input for which the action should be executed/not be executed. To do this, proceed as described in Section 3.3.16, “Condition”.

If you define multiple triggers, then you need to specify whether only one or all triggers must be fulfilled in order for the action to be triggered/not be triggered.

4.7. Webhook

You use the Webhook action to send form input directly to a specified URL or compatible web application as soon as a form has been completed.

This offers a straightforward approach to integrating third-party services such as Slack, Zapier or your own backend system.

The screenshot displays the 'Edit Webhook' configuration page within the Formcentric application. The interface is divided into a left sidebar and a main content area. The sidebar, titled 'Structure', shows a tree view with 'Actions' expanded, containing a 'Webhook' item. The main content area is titled 'Edit Webhook' and contains several sections: 'General' with a 'Confirmation' text area; 'Webhook' with a 'Webhook URL' field (containing a Slack URL) and a 'Content type' dropdown (set to 'application-json'); 'Form fields' with a 'Select form elements' button; 'URL parameters' and 'HTTP headers' each with 'Key' and 'Value' input fields; and a 'Condition' section with a toggle switch and a description. At the bottom right of the main area are 'Duplicate Webhook' and 'Delete Webhook' buttons. The bottom of the interface features a blue 'Save' button and a 'Cancel' button.

Figure 4.8. Webhook

Webhook URL: Enter the URL to which the request should be sent.

The Webhook URL utilises the following format:

```
https://www.mydomain.com/path
```

The use of secure HTTP (HTTPS) is not mandatory but is strongly recommended. For security reasons, a local address (such as *localhost*, *127.0.0.1*, etc.) cannot be specified. This restriction can be lifted on the server side by your system administrator for individual target addresses.

Content type: Select the format for the Webhook request. The following formats are supported:

Format	Description
application-json	Send the form data in JSON format in the body of the HTTP request.
application-x-www-form-urlencoded	Sends the form data as a URL-encoded data record separated by <i>&</i> characters in the body of the HTTP request.
multipart-form-data	Sends the form data as a multipart HTTP request. Use this content type if the form data to be sent contains file attachments.

Form fields: Select the form fields whose data is to be sent to the Webhook endpoint.

URL parameters: Any additional parameters you want to append to the Webhook URL. When specifying parameter values, you can make use of form values and form variables by specifying the value as a placeholder with the format `${element-name}` or `${variable-name}`.

HTTP header: You can specify user-defined HTTP headers that are to be used when sending the data to the specified Webhook endpoint. When specifying a header value, you can again use form values and form variables in the same way as when specifying the URL parameters.

Add condition: Use this field to specify the user input for which the action should be executed/not be executed. To do this, proceed as described in Section 3.3.16, "Condition".

If you define multiple triggers, then you need to specify whether only one or all triggers must be fulfilled in order for the action to be triggered/not be triggered.

5. Settings screen

On the *Settings* screen, you can give your form a name, and also specify the labels that will be used for the cancel and submit buttons. You can also activate saving for form input on this tab as well as configuring the settings for the double opt-in function.

The screenshot shows the 'Settings' screen for a form in the Formcentric interface. The top navigation bar includes 'FORMCENTRIC', 'Form', 'Actions', and 'Settings' (which is active). Below the navigation bar, the 'Settings' section is divided into three main areas: 'General', 'Button label', and 'Usage'.
- The 'General' section contains a 'Form name' text input, a 'Display variant' dropdown menu, and a 'Comment' text area.
- The 'Button label' section features two toggle switches: 'Display Cancel button' and 'Display Submit button'. Each toggle is accompanied by a text input field for the button label. The 'Display Cancel button' toggle is currently turned on, and its label is 'Cancel'. The 'Display Submit button' toggle is also turned on, and its label is 'Submit'.
- The 'Usage' section includes two checkboxes: 'Activate automatic saving' and 'Collect form statistics'. Below these is a 'Double opt-in' toggle, which is currently turned off. A descriptive text below the toggle states: 'Activate double opt-in to ensure that users have access to the email address that they have specified in the form.'
At the bottom of the screen, there are two buttons: 'Save' and 'Close'.

Figure 5.1. Settings screen

5.1. General

Form name: Enter a memorable name for your form that you can use to identify it later. This name is used when displaying the form within the Formcentric Analytics web interface.

Display variant: Select one or more of the available display variants here, so as to specify how the form is displayed. The variants available are specified on a per-project basis.

Comment: You can also include a comment here. This comment is for internal use only and is not displayed on the form itself.

5.2. Button label

Display cancel button: Deactivate this switch to hide the *Cancel* button on the last page of the form.

Text on cancel button: Enter a piece of text here that will be displayed on the cancel button for your form.

Display submit button: Deactivate this switch to hide the *Submit* button on the last page of the form.

Text on submit button: Enter a piece of text here that will be displayed on the submit button for your form.

5.3. Usage

Automatically save form inputs: If you activate *Automatically save form inputs*, then the user can stop filling out the form at any time and continue with the form later on, without losing any of the data already entered. Form input is saved until the user has filled out the form in full and submitted it. This option is especially useful for multi-page forms.

Collect form statistics: If you activate *Collect form statistics* and have a Formcentric licence that includes Formcentric Analytics, then statistical metrics for this form will be collected and processed for reports. You can view these reports in the Formcentric Analytics Reporting application and drill down further into reports on form user behaviour.



When you activate *Collect form statistics*, then statistics will start to be collected and sent to Formcentric Analytics even while you are editing the form. However, please note that this data will be deleted once you have finished editing the form. Data from previous versions and data collected after form completion is not deleted, of course.

5.4. Double opt-in

With *Double opt-in*, you can activate and configure the double opt-in feature (also known as email confirmation) for users. This functionality lets you verify that the user has access to the email address that was entered into the form. To enable this verification, an additional step is added to the form, in which the user is sent a confirmation link. This link must be accessed in order to complete form entry successfully. In addition, this means that the actions you have configured are not executed until the user has accessed the link that was sent in the email.

Move the double opt-in slider to the right to activate email confirmation for this form. Complete the fields as listed here. All of the input that you enter here will be validated. If you deactivate double opt-in, no validation is made. Input that you have already made into the fields is saved and can be used later on, as required.



Please note that the double opt-in feature can only be used in conjunction with Formcentric Analytics.

Edit contents
? X

Form
EN

FORMCENTRIC
Form
Actions
Settings

0

Double opt-in

Activate double opt-in to ensure that users have access to the email address that they have specified in the form.

Recipient email address*
mail address

Sender name
Formcentric-Team

Sender email address*
contact@formcentric.com

Subject*
Please confirm your e-mail address

B
I
List
List
Link
Code
Image

Message
Please click on the following link to confirm your e-mail address

Double opt-in confirmation message

Email format
HTML

Deactivate double opt-in if

+ Additional trigger

Save
Close

Figure 5.2. Double opt-in

Recipient email address: Select the form element into which the user must enter their email address. Please note that the drop-down list only includes the predefined “Email address” form element as well as input fields for which email validation has

been activated. Input fields are only accepted if these fields are defined as required fields.

Sender name: Enter the name to be displayed as the sender.

Sender email address: Enter the email address to be used as the sender for the confirmation mail. Note that the email address must be valid, otherwise an error will be generated.

Subject: Enter the subject here that is displayed to the user when they receive the mail.

Message: Enter the text of the email here. Include the `${url}` variable anywhere in your email text to add the confirmation link that the user needs to click. If you do not use the variable, the link is appended automatically to the end of the email message you have entered. Regardless of the *Email format* that you select, you can always format your message using FreeMarker markup.

Double opt-in confirmation message: When you activate double opt-in, the user will be shown a new intermediate page when the form has been filled out in full. The user must now respond to the email that they have been sent. Enter a piece of text here that will be displayed on this intermediate page. You can use Section 3.6, “Mark-down” to format the text.

Email format: Specify whether the email is sent to the user in HTML format or as a plain text message.

Deactivate double opt-in if: Use this field to specify any user input for which the double opt-in feature will not be used.

The condition can be created as described in Section 3.3.16, “Condition”.

If you define multiple triggers, then you need to specify whether only one or all triggers must be fulfilled in order to deactivate double opt-in.

A. Reserved identifiers.

For technical reasons, the technical name given to a form element must not match any of the following reserved identifiers:

abstract, action, arguments, array, await, boolean, break, byte, case, catch, char, constructor, currentpage, currentpagenode, date, else, enum, eval, export, extends, false, final, finally, float, for, form, formdata, formvariables, function, goto, hasown-property, if, implements, import, in, infinity, instanceof, int, interface, isfinite, isnan, isprototypeof, let, long, math, nan, native, new, nil, null, number, object, package, pagecount, pageelements, private, propertyisenumerable, protected, prototype, request, resolvedcaptchas, return, selectedelements, self, short, static, string, super, switch, synchronized, target, this, throw, throws, tolocalestring, tosource, toString, transient, true, try, typeof, undef, undefined, unwatch, valueof, var, view, void, volatile, watch, while, with, yield